

t11\_lopban\_3  
(TMQoqc1kFXZ6qs8rcjJsqeKh6dXCGAXDE8J)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v4\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v2\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v3\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $r2\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_valued\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $m2\_valued\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l2\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $l1\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 \\
& X0) \wedge ((v4\_normsp\_0 X0) \wedge ((v2\_normsp\_1 X0) \wedge (l1\_normsp\_1 X0)))))))))) \Rightarrow \\
& (\forall X1. ((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow (\forall X2. ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers \\
& (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow (\forall X3. (m2\_subset\_1 X3 \\
& k1\_numbers k5\_numbers) \Rightarrow ((v3\_normsp\_1 X1 X0) \Rightarrow ((v3\_normsp\_1 ( \\
& k1\_valued\_0 (u1\_struct\_0 X0) X1 X3) X0) \wedge (k6\_normsp\_1 X0 (k1\_valued\_0 \\
& (u1\_struct\_0 X0) X1 X3) = k6\_normsp\_1 X0 X1))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 \\
& X0) \wedge ((v4\_normsp\_0 X0) \wedge ((v2\_normsp\_1 X0) \wedge (l1\_normsp\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers \\
& (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow ((v3\_normsp\_1 X1 X0) \Rightarrow ((\forall X3. \\
& (m2\_subset\_1 X3 k1\_numbers k5\_numbers) \Rightarrow (\neg r2\_funct\_2 k5\_numbers \\
& (u1\_struct\_0 X0) X1 (k1\_valued\_0 (u1\_struct\_0 X0) X2 X3))) \vee (v3\_normsp\_1 \\
& X2 X0))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((v1\_funct\_1 X2) \wedge \\
& ((v1\_funct\_2 X2 X0 X1) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& X0 X1)))) \wedge ((v1\_funct\_1 X3) \wedge ((v1\_funct\_2 X3 X0 X1) \wedge (m1\_subset\_1 \\
& X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))))) \Rightarrow ((r2\_funct\_2 X0 X1 X2 \\
& X3) \Leftrightarrow (X2 = X3))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge \\
& (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2. (m2\_subset\_1 \\
& X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1))
\end{aligned} \tag{4}$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \tag{5}$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1) \wedge (v3\_ordinal1 k4\_ordinal1) \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 \\
& (u1\_struct\_0 X0))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge ((v1\_funct\_1 X1) \wedge \\
& (v1\_funct\_2 X1 k5\_numbers X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& k5\_numbers X0)))))) \Rightarrow (\forall X2. (m2\_valued\_0 X2 X0 X1) \Rightarrow ((v1\_funct\_1 \\
& X2) \wedge ((v1\_funct\_2 X2 k5\_numbers X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 k5\_numbers X0))))))
\end{aligned} \tag{8}$$

Assume the following.

$$\forall X0.(l2\_normsp\_0 X0) \Rightarrow ((l1\_normsp\_0 X0) \wedge (l2\_struct\_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l1\_normsp\_1 X0) \Rightarrow ((l1\_rlvect\_1 X0) \wedge (l2\_normsp\_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l1\_normsp\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (11)$$

Assume the following.

$$m1\_subset\_1 k5\_numbers (k1\_zfmisc\_1 k1\_numbers) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0 X0) \wedge (((v1\_funct\_1 \\ X1) \wedge ((v1\_funct\_2 X1 k5\_numbers X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ (k2\_zfmisc\_1 k5\_numbers X0)))))) \wedge (v7\_ordinal1 X2))) \Rightarrow (m2\_valued\_0 \\ (k1\_valued\_0 X0 X1 X2) X0 X1) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k4\_ordinal1) \Rightarrow (v7\_ordinal1 X0) \quad (14)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (v1\_xboole\_0 X1)) \quad (15)$$

**Theorem 1**

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 \\ X0) \wedge ((v4\_normsp\_0 X0) \wedge ((v2\_normsp\_1 X0) \wedge (l1\_normsp\_1 X0)))))))))) \Rightarrow \\ (\forall X1.((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 \\ X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\ X0)))))) \Rightarrow (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers \\ (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow ((v3\_normsp\_1 X1 X0) \Rightarrow ((\forall X3. \\ (m2\_subset\_1 X3 k1\_numbers k5\_numbers) \Rightarrow (\neg r2\_funct\_2 k5\_numbers \\ (u1\_struct\_0 X0) X1 (k1\_valued\_0 (u1\_struct\_0 X0) X2 X3))) \vee (k6\_normsp\_1 \\ X0 X2 = k6\_normsp\_1 X0 X1)))))) \end{aligned}$$