

t11\_midsp\_2  
(TMNaicaqT8Q6Jsh1gSyFso8QtJwmVGsqJKy)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_midsp\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k1\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 \\ & X0) \wedge (l2\_algstr\_0 X0)))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3. \\ & (m1\_subset\_1 X3 (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 \\ & (u1\_struct\_0 X0)) \Rightarrow (k3\_rlvect\_1 X0 (k3\_rlvect\_1 X0 X1 X2) (k3\_rlvect\_1 \\ & X0 X3 X4) = k3\_rlvect\_1 X0 (k3\_rlvect\_1 X0 X1 X3) (k3\_rlvect\_1 X0 X2 \\ & X4)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v2\_rlvect\_1 X0) \wedge (l1\_algstr\_0 \\ & X0)) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)))) \Rightarrow (k3\_rlvect\_1 X0 X1 X2 = k1\_algstr\_0 X0 X1 X2) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.(l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((l1\_algstr\_0 X0) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (m1\_subset\_1 \\ & (k1\_algstr\_0 X0 X1 X2) (u1\_struct\_0 X0)) \end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (l2\_algstr\_0 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (k1\_midsp\_2 X0 X1 = k1\_algstr\_0 \\ & X0 X1 X1)) \end{aligned} \tag{5}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 \\ & X0) \wedge (l2\_algstr\_0 X0)))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 \\ & X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (k1\_midsp\_2 \\ & X0 (k3\_rlvect\_1 X0 X1 X2) = k3\_rlvect\_1 X0 (k1\_midsp\_2 X0 X1) (k1\_midsp\_2 \\ & X0 X2)))) \end{aligned}$$