

t11\_oposet\_1  
(TMJSjgH6fxzd7d7hgBaXH4cpu8vFECvwA3B)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v4\_oposet\_1 : \iota \Rightarrow o$  be given. Let  $v3\_oposet\_1 : \iota \Rightarrow o$  be given. Let  $v3\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v2\_oposet\_1 : \iota \Rightarrow o$  be given. Let  $v4\_orders\_2 : \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow ((v3\_orders\_2 X0) \Rightarrow (v2\_oposet\_1 X0)) \quad (1)$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow ((v4\_oposet\_1 X0) \Leftrightarrow ((v3\_orders\_2 X0) \wedge (v4\_orders\_2 X0))) \quad (2)$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow ((v3\_oposet\_1 X0) \Leftrightarrow ((v2\_oposet\_1 X0) \wedge (v4\_orders\_2 X0))) \quad (3)$$

**Theorem 1**

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow ((v4\_oposet\_1 X0) \Rightarrow (v3\_oposet\_1 X0))$$