

t11_orders_1 (TMUaY-
coJ11nHXYNMFGGeTGwpq874J3uznowB)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $r7_relat_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0. (v1_relat_1 X0) \Rightarrow (\forall X1. (r7_relat_2 X0 X1) \Leftrightarrow (\forall X2. \\ \forall X3. \neg (X2 \in X1) \wedge ((X3 \in X1) \wedge ((\neg k4_tarski X2 X3 \in X0) \wedge (\neg k4_tarski \\ X3 X2 \in X0)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 X1) \Leftrightarrow (\forall X2. (X2 \in X0) \Rightarrow (X2 \in X1)) \tag{2}$$

Theorem 1

$$\forall X0. \forall X1. \forall X2. (v1_relat_1 X2) \Rightarrow (((r7_relat_2 X2 X0) \wedge (r1_tarski X1 X0)) \Rightarrow (r7_relat_2 X2 X1))$$