

# t11\_pcomps\_1 (TMYapFPAYuKKp- sCMF9dZMfXAYvdQ3ss4SPf)

October 27, 2020

Let  $v2\_pre\_topc : \iota \Rightarrow o$  be given. Let  $l1\_pre\_topc : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v2\_tops\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_pcomps\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v4\_pre\_topc : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_pre\_topc : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. (((v2\_pre\_topc X0) \wedge (l1\_pre\_topc X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow (v4\_pre\_topc (k2\_pre\_topc X0 X1) X0) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. ((l1\_pre\_topc X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow (m1\_subset\_1 (k1\_pcomps\_1 X0 X1) (k1\_zfmisc\_1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \quad (2)$$

Assume the following.

$$\forall X0. (l1\_pre\_topc X0) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow ((v2\_tops\_2 X1 X0) \Leftrightarrow (\forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((X2 \in X1) \Rightarrow (v4\_pre\_topc X2 X0)))))) \quad (3)$$

Assume the following.

$$\forall X0. (l1\_pre\_topc X0) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow ((X2 = k1\_pcomps\_1 X0 X1) \Leftrightarrow (\forall X3. (m1\_subset\_1 X3 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((X3 \in X2) \Leftrightarrow (\exists X4. (m1\_subset\_1 X4 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \wedge ((X3 = k2\_pre\_topc X0 X4) \wedge (X4 \in X1)))))))))) \quad (4)$$

## Theorem 1

$$\forall X0. ((v2\_pre\_topc X0) \wedge (l1\_pre\_topc X0)) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow (v2\_tops\_2 (k1\_pcomps\_1 X0 X1) X0))$$