

t11_rusub_4

(TMKP84yuvYE3M48QzErSawujH9VTwiS4m68)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $v1_rusub_4 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $m1_rusub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_rusub_4 : \iota \Rightarrow \iota$ be given. Let $k2_rusub_1 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_rlvect_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $k1_rusub_3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $r2_xboole_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_rusub_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $g1_bhsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $u1_rlvect_1 : \iota \Rightarrow \iota$ be given. Let $u1_bhsp_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge ((v1_rusub_4 X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((v1_rlvect_3 \\ & X1 X0) \Rightarrow (k1_card_1 X1 = k1_rusub_4 (k1_rusub_3 X0 X1)))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. (v1_finset_1 X0) \Rightarrow (\forall X1. (v1_finset_1 X1) \Rightarrow ((\\ & r2_xboole_0 X0 X1) \Rightarrow ((\neg r1_xxreal_0 (k5_card_1 X1) (k5_card_1 X0)) \wedge \\ & (k5_card_1 X0 \in k5_card_1 X1)))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski \\ & X0 X1) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow ((v1_rusub_4 X0) \Rightarrow (\forall X1. \\ (m1_rusub_3 X1 X0) \Rightarrow (v1_finset_1 X1))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.(m1_rusub_1 X1 X0) \Rightarrow \\ (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow \\ (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow \\ ((X2 = X3) \Rightarrow (k1_rusub_3 X0 X2 = k1_rusub_3 X1 X3)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.(m1_rusub_1 X1 X0) \Rightarrow \\ (\forall X2.(m1_rusub_3 X2 X1) \Rightarrow (\exists X3.(m1_rusub_3 X3 X0) \wedge \\ (r1_tarski X2 X3)))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1_tarski X0 X1) \wedge (r1_tarski X1 X2)) \Rightarrow (r1_tarski X0 X2) \quad (7)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (8)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0) \Rightarrow (k5_card_1 X0 = k1_card_1 X0) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\exists X1.m1_rusub_3 X1 X0) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.(m1_rusub_3 X1 X0) \Rightarrow \\ (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl_1 \\ & X0) \wedge (l1_bhspl_1 X0)))))))))) \Rightarrow (\forall X1.(m1_rusub_1 X1 X0) \Rightarrow \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\ & v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 \\ & X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v2_bhspl_1 X1) \wedge (l1_bhspl_1 \\ & X1))))))))))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl_1 \\ & X0) \wedge (l1_bhspl_1 X0)))))))))) \Rightarrow (m1_subset_1 (k1_rusub_4 X0) k5_numbers) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0. \forall X1. (r2_xboole_0 X0 X1) \Leftrightarrow ((r1_tarski X0 X1) \wedge (X0 \neq X1)) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl_1 \\ & X0) \wedge (l1_bhspl_1 X0)))))))))) \Rightarrow (k2_rusub_1 X0 = g1_bhspl_1 (u1_struct_0 \\ & X0) (u2_struct_0 X0) (u1_algstr_0 X0) (u1_rlvect_1 X0) (u1_bhspl_1 \\ & X0)) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl_1 \\ & X0) \wedge (l1_bhspl_1 X0)))))))))) \Rightarrow ((v1_rusub_4 X0) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 k5_numbers) \Rightarrow ((X1 = k1_rusub_4 X0) \Leftrightarrow (\forall X2. \\ & (m1_rusub_3 X2 X0) \Rightarrow (X1 = k1_card_1 X2)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl_1 \\ & X0) \wedge (l1_bhspl_1 X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0)) \Rightarrow ((m1_rusub_3 X1 X0) \Leftrightarrow ((v1_rlvect_3 X1 X0) \wedge \\ & (k1_rusub_3 X0 X1 = g1_bhspl_1 (u1_struct_0 X0) (u2_struct_0 X0) \\ & (u1_algstr_0 X0) (u1_rlvect_1 X0) (u1_bhspl_1 X0)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge ((v1_rusub_4 X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. \\ & (m1_rusub_1 X1 X0) \Rightarrow (v1_rusub_4 X1)) \end{aligned} \quad (18)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (\neg X1 \in X0) \quad (19)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge ((v1_rusub_4 X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. \\ & (m1_rusub_1 X1 X0) \Rightarrow ((k1_rusub_4 X0 = k1_rusub_4 X1) \Leftrightarrow (k2_rusub_1 \\ & X0 = k2_rusub_1 X1))) \end{aligned}$$