

# t11\_scmring3 (TMMbHzWAZirERyataXNhpyP- bycHCfKpgqZy)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v1\_ami\_2 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_scmring2 : \iota \Rightarrow \iota$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k2\_compos\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_compos\_1 : \iota \Rightarrow \iota$  be given. Let  $k9\_scmring2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $np\_7 : \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v1\_compos\_0 : \iota \Rightarrow o$  be given. Let  $k4\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k3\_xtuple\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_compos\_1 : \iota \Rightarrow o$  be given. Let  $v2\_compos\_0 : \iota \Rightarrow o$  be given. Let  $v3\_compos\_0 : \iota \Rightarrow o$  be given. Let  $v5\_compos\_0 : \iota \Rightarrow o$  be given. Let  $l1\_extpro\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_memstr\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_extpro\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $np\_2 : \iota$  be given. Let  $k12\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v1\_xboole\_0 X0) \wedge (v1\_compos\_0 X0)) \wedge \\ & (m1\_subset\_1 X1 X0)) \Rightarrow (k2\_compos\_0 X0 X1 = k4\_xtuple\_0 X1) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. k4\_xtuple\_0 (k3\_xtuple\_0 X0 \\ & X1 X2) = X0 \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. (l1\_compos\_1 X0) \Rightarrow ((v1\_compos\_0 (u1\_compos\_1 X0)) \wedge \\ & ((v2\_compos\_0 (u1\_compos\_1 X0)) \wedge ((v3\_compos\_0 (u1\_compos\_1 \\ & X0)) \wedge (v5\_compos\_0 (u1\_compos\_1 X0)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (l1\_extpro\_1 X1 X0) \Rightarrow ((l1\_memstr\_0 X1 X0) \wedge \\ & (l1\_compos\_1 X1)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 \\ & X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\ & ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 \\ & X0)))))))) \wedge ((m1\_subset\_1 X1 k5\_numbers) \wedge ((v1\_ami\_2 X2) \wedge (m1\_subset\_1 \\ & X2 (u1\_struct\_0 (k1\_scmring2 X0)))))) \Rightarrow (m1\_subset\_1 (k9\_scmring2 \\ & X0 X1 X2) (u1\_compos\_1 (k1\_scmring2 X0))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. (((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_group\_1 X0) \wedge ( \\ & (v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\ & ((v1\_extpro\_1 (k1\_scmring2 X0) np\_2) \wedge (l1\_extpro\_1 (k1\_scmring2 \\ & X0) np\_2)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. (((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_group\_1 X0) \wedge ( \\ & (v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\ & (\forall X1. (m1\_subset\_1 X1 k5\_numbers) \Rightarrow (\forall X2. ((v1\_ami\_2 \\ & X2) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 (k1\_scmring2 X0)))) \Rightarrow (k9\_scmring2 \\ & X0 X1 X2 = k3\_xtuple\_0 np\_7 (k12\_finseq\_1 k5\_numbers X1) (k12\_finseq\_1 \\ & (u1\_struct\_0 (k1\_scmring2 X0)) X2)))) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0. (v5\_compos\_0 X0) \Rightarrow (\neg v1\_xboole\_0 X0) \quad (8)$$

### Theorem 1

$$\begin{aligned} & \forall X0. (((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_group\_1 X0) \wedge ( \\ & (v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\ & (\forall X1. ((v1\_ami\_2 X1) \wedge (m1\_subset\_1 X1 (u1\_struct\_0 (k1\_scmring2 \\ & X0)))) \Rightarrow (\forall X2. (m1\_subset\_1 X2 k5\_numbers) \Rightarrow (k2\_compos\_0 \\ & (u1\_compos\_1 (k1\_scmring2 X0)) (k9\_scmring2 X0 X2 X1) = np\_7))) \end{aligned}$$