

t124_sheffer2

(TMdf4dQttKajg4qvsNzAsckkDGe1sWWQVEU)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v10_sheffer1 : \iota \Rightarrow o$ be given. Let $v11_sheffer1 : \iota \Rightarrow o$ be given. Let $v12_sheffer1 : \iota \Rightarrow o$ be given. Let $l1_sheffer1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k5_sheffer1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0. ((\neg v2_struct_0 X0) \wedge ((v10_sheffer1 X0) \wedge ((v11_sheffer1 \\ X0) \wedge ((v12_sheffer1 X0) \wedge (l1_sheffer1 X0)))))) \Rightarrow (\forall X1. (m1_subset_1 \\ X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ X0)) \Rightarrow (X1 = k5_sheffer1 X0 (k5_sheffer1 X0 X1 X1) (k5_sheffer1 X0 \\ X2 X1)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} \forall X0. ((\neg v2_struct_0 X0) \wedge ((v10_sheffer1 X0) \wedge ((v11_sheffer1 \\ X0) \wedge ((v12_sheffer1 X0) \wedge (l1_sheffer1 X0)))))) \Rightarrow (\forall X1. (m1_subset_1 \\ X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\ X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (k5_sheffer1 \\ X0 (k5_sheffer1 X0 X1 X1) (k5_sheffer1 X0 (k5_sheffer1 X0 X2 X2) X1) = \\ k5_sheffer1 X0 (k5_sheffer1 X0 X1 (k5_sheffer1 X0 (k5_sheffer1 \\ X0 (k5_sheffer1 X0 X3 (k5_sheffer1 X0 X3 X3)) (k5_sheffer1 X0 X3 (\\ k5_sheffer1 X0 X3 X3))) X2) (k5_sheffer1 X0 X1 (k5_sheffer1 X0 (\\ k5_sheffer1 X0 (k5_sheffer1 X0 X3 (k5_sheffer1 X0 X3 X3)) (k5_sheffer1 \\ X0 X3 (k5_sheffer1 X0 X3 X3))) X2)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (l1_sheffer1 \\ X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 \\ X0)))) \Rightarrow (m1_subset_1 (k5_sheffer1 X0 X1 X2) (u1_struct_0 X0)) \end{aligned} \tag{3}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v10_sheffer1 X0) \wedge ((v11_sheffer1 \\ & X0) \wedge ((v12_sheffer1 X0) \wedge (l1_sheffer1 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (k5_sheffer1 \\ & X0 (k5_sheffer1 X0 X1 (k5_sheffer1 X0 (k5_sheffer1 X0 (k5_sheffer1 \\ & X0 X3 (k5_sheffer1 X0 X3 X3)) (k5_sheffer1 X0 X3 (k5_sheffer1 X0 X3 \\ & X3))) X2)) (k5_sheffer1 X0 X1 (k5_sheffer1 X0 (k5_sheffer1 X0 (k5_sheffer1 \\ & X0 X3 (k5_sheffer1 X0 X3 X3)) (k5_sheffer1 X0 X3 (k5_sheffer1 X0 X3 \\ & X3))) X2)) = X1)))))) \end{aligned}$$