

t12_functor3 (TM- GLen1RpFUaQhmGM9jx6ZVXWyJEawDpcJ3)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_altcat_1 : \iota \Rightarrow o$ be given. Let $v12_altcat_1 : \iota \Rightarrow o$ be given. Let $l2_altcat_1 : \iota \Rightarrow o$ be given. Let $v15_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_functor3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_functor3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_altcat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v9_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2.((\neg \\
& v2_struct_0 X2) \wedge ((v2_altcat_1 X2) \wedge ((v12_altcat_1 X2) \wedge (l2_altcat_1 \\
& X2)))) \Rightarrow (\forall X3.((v15_functor0 X3 X0 X1) \wedge (m2_functor0 X3 X0 \\
& X1)) \Rightarrow (\forall X4.((v15_functor0 X4 X0 X1) \wedge (m2_functor0 X4 X0 X1)) \Rightarrow \\
& (\forall X5.((v15_functor0 X5 X1 X2) \wedge (m2_functor0 X5 X1 X2)) \Rightarrow (\\
& \forall X6.((v15_functor0 X6 X1 X2) \wedge (m2_functor0 X6 X1 X2)) \Rightarrow ((\\
& (r1_functor2 X0 X1 X3 X4) \wedge (r1_functor2 X1 X2 X5 X6)) \Rightarrow (r1_functor2 \\
& X0 X2 (k1_functor3 X0 X1 X2 X3 X5) (k1_functor3 X0 X1 X2 X4 X6))))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((\neg v2_struct_0 \\
& X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))) \wedge \\
& (((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge ((v12_altcat_1 X1) \wedge \\
& l2_altcat_1 X1)))) \wedge ((m2_functor0 X2 X0 X1) \wedge (m2_functor0 X3 X0 \\
& X1)))) \Rightarrow (r1_functor2 X0 X1 X2 X2)
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\
& \forall X6. (((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& X0) \wedge (l2_altcat_1 X0)))) \wedge (((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \wedge (((\neg v2_struct_0 \\
& X2) \wedge ((v2_altcat_1 X2) \wedge ((v12_altcat_1 X2) \wedge (l2_altcat_1 X2)))) \wedge \\
& (((v15_functor0 X3 X1 X2) \wedge (m2_functor0 X3 X1 X2)) \wedge (((v15_functor0 \\
& X4 X1 X2) \wedge (m2_functor0 X4 X1 X2)) \wedge (((v15_functor0 X5 X0 X1) \wedge (m2_functor0 \\
& X5 X0 X1)) \wedge (m1_functor2 X6 X1 X2 X3 X4)))))) \Rightarrow (m1_functor2 (k6_functor3 \\
& X0 X1 X2 X3 X4 X5 X6) X0 X2 (k1_functor3 X0 X1 X2 X5 X3) (k1_functor3 X0 \\
& X1 X2 X5 X4))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\
& (((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 \\
& X0)))) \wedge (((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge (v12_altcat_1 X1) \wedge (l2_altcat_1 \\
& X1)))) \wedge ((m2_functor0 X2 X0 X1) \wedge ((m2_functor0 X3 X0 X1) \wedge ((m1_functor2 X4 X0 X1 X2 X3) \wedge (m1_subset_1 \\
& X5 (u1_struct_0 X0)))))) \Rightarrow (m1_subset_1 (k2_functor2 X0 X1 X2 X3 X4 X5) (k1_altcat_1 X1 (k3_functor0 X0 X1 X2 X5) (k3_functor0 X0 X1 X3 X5)))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. (((\neg v2_struct_0 \\
& X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))) \wedge \\
& (((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 \\
& X1)))) \wedge (((\neg v2_struct_0 X2) \wedge ((v12_altcat_1 X2) \wedge (l2_altcat_1 X2)) \wedge ((v15_functor0 X3 X0 X1) \wedge (m2_functor0 X3 \\
& X0 X1)) \wedge ((v15_functor0 X4 X1 X2) \wedge (m2_functor0 X4 X1 X2)))))) \Rightarrow (\\
& (v9_functor0 (k1_functor3 X0 X1 X2 X3 X4) X0 X2) \wedge ((v15_functor0 \\
& (k1_functor3 X0 X1 X2 X3 X4) X0 X2) \wedge (m2_functor0 (k1_functor3 X0 \\
& X1 X2 X3 X4) X0 X2))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2. (m2_functor0 \\
& X2 X0 X1) \Rightarrow (\forall X3. (m2_functor0 X3 X0 X1) \Rightarrow ((r1_functor2 X0 X1 \\
& X2 X3) \Rightarrow (\forall X4. (m1_functor2 X4 X0 X1 X2 X3) \Rightarrow (\forall X5. (m1_subset_1 \\
& X5 (u1_struct_0 X0) \Rightarrow (\forall X6. (m1_subset_1 X6 (k1_altcat_1 \\
& X1 (k3_functor0 X0 X1 X2 X5) (k3_functor0 X0 X1 X3 X5))) \Rightarrow ((X6 = k2_functor2 \\
& X0 X1 X2 X3 X4 X5) \Leftrightarrow (X6 = k1_funct_1 X4 X5))))))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2.((\neg \\
& v2_struct_0 X2) \wedge ((v2_altcat_1 X2) \wedge ((v12_altcat_1 X2) \wedge (l2_altcat_1 \\
& X2)))) \Rightarrow (\forall X3.((v15_functor0 X3 X1 X2) \wedge (m2_functor0 X3 X1 \\
& X2)) \Rightarrow (\forall X4.((v15_functor0 X4 X1 X2) \wedge (m2_functor0 X4 X1 X2)) \Rightarrow \\
& (\forall X5.((v15_functor0 X5 X0 X1) \wedge (m2_functor0 X5 X0 X1)) \Rightarrow (\\
& \forall X6.(m1_functor2 X6 X1 X2 X3 X4) \Rightarrow ((r1_functor2 X1 X2 X3 X4) \Rightarrow \\
& (\forall X7.(m1_functor2 X7 X0 X2 (k1_functor3 X0 X1 X2 X5 X3) (k1_functor3 \\
& X0 X1 X2 X5 X4)) \Rightarrow ((X7 = k6_functor3 X0 X1 X2 X3 X4 X5 X6) \Leftrightarrow (\forall X8. \\
& (m1_subset_1 X8 (u1_struct_0 X0)) \Rightarrow (k1_funct_1 X7 X8 = k2_functor2 \\
& X1 X2 X3 X4 X6 (k3_functor0 X0 X1 X5 X8))))))))))))) \tag{7}
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2.((\neg \\
& v2_struct_0 X2) \wedge ((v2_altcat_1 X2) \wedge ((v12_altcat_1 X2) \wedge (l2_altcat_1 \\
& X2)))) \Rightarrow (\forall X3.((v15_functor0 X3 X2 X0) \wedge (m2_functor0 X3 X2 \\
& X0)) \Rightarrow (\forall X4.((v15_functor0 X4 X0 X1) \wedge (m2_functor0 X4 X0 X1)) \Rightarrow \\
& (\forall X5.((v15_functor0 X5 X0 X1) \wedge (m2_functor0 X5 X0 X1)) \Rightarrow (\\
& \forall X6.(m1_functor2 X6 X0 X1 X4 X5) \Rightarrow (\forall X7.(m1_subset_1 \\
& X7 (u1_struct_0 X2)) \Rightarrow ((r1_functor2 X0 X1 X4 X5) \Rightarrow (k2_functor2 X2 \\
& X1 (k1_functor3 X2 X0 X1 X3 X4) (k1_functor3 X2 X0 X1 X3 X5) (k6_functor3 \\
& X2 X0 X1 X4 X5 X3 X6) X7 = k2_functor2 X0 X1 X4 X5 X6 (k3_functor0 X2 X0 \\
& X3 X7)))))))))))))
\end{aligned}$$