

t12_isocat_1

(TMP6UtfSNdKAhN71N9fgP9hT1SGZvc513mT)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v2_cat_1 : \iota \Rightarrow o$ be given. Let $v3_cat_1 : \iota \Rightarrow o$ be given. Let $v4_cat_1 : \iota \Rightarrow o$ be given. Let $v5_cat_1 : \iota \Rightarrow o$ be given. Let $v6_cat_1 : \iota \Rightarrow o$ be given. Let $l1_cat_1 : \iota \Rightarrow o$ be given. Let $m2_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v12_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_isocat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v2_funct_1 : \iota \Rightarrow o$ be given. Let $k2_funct_1 : \iota \Rightarrow \iota$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k7_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow ((v2_funct_1 X0) \Rightarrow (k2_funct_1 (k2_funct_1 X0) = X0)) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\ & (m2_cat_1 X2 X0 X1) \Rightarrow ((v12_cat_1 X2 X0 X1) \Rightarrow (v12_cat_1 (k1_isocat_1 X0 X1 X2) X1 X0))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 X3) \Leftrightarrow (X2 = X3)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (\neg v11_struct_0 X0) \wedge \\
& ((v2_cat_1 X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge \\
& ((v6_cat_1 X0) \wedge (l1_cat_1 X0)))))) \wedge ((\neg v2_struct_0 X1) \wedge (\neg \\
& v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 X1) \wedge \\
& ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1))))))))) \Rightarrow (\forall X2. \\
& (m2_cat_1 X2 X0 X1) \Rightarrow ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u4_struct_0 \\
& X0) (u4_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u4_struct_0 X0) (u4_struct_0 X1))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (\neg v11_struct_0 \\
& X0) \wedge ((v2_cat_1 X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 \\
& X0) \wedge ((v6_cat_1 X0) \wedge (l1_cat_1 X0)))))) \wedge ((\neg v2_struct_0 X1) \wedge \\
& ((\neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
& X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))) \wedge (m2_cat_1 \\
& X2 X0 X1))) \Rightarrow (m2_cat_1 (k1_isocat_1 X0 X1 X2) X1 X0)
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (((\neg v2_struct_0 X0) \wedge (\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0)))))) \Rightarrow (\forall X1. ((\neg v2_struct_0 X1) \wedge ((\\
& \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
& X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))) \Rightarrow (\forall X2. \\
& (m2_cat_1 X2 X0 X1) \Rightarrow ((v12_cat_1 X2 X0 X1) \Rightarrow (k1_isocat_1 X0 X1 X2 = \\
& k2_funct_1 X2))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (((\neg v2_struct_0 X0) \wedge (\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0)))))) \Rightarrow (\forall X1. ((\neg v2_struct_0 X1) \wedge ((\\
& \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
& X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))) \Rightarrow (\forall X2. \\
& (m2_cat_1 X2 X0 X1) \Rightarrow ((v12_cat_1 X2 X0 X1) \Leftrightarrow ((v2_funct_1 X2) \wedge ((k10_xtuple_0 \\
& X2 = u4_struct_0 X1) \wedge (k10_xtuple_0 (k7_cat_1 X0 X1 X2) = u1_struct_0 \\
& X1))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2)
\end{aligned} \tag{8}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ & X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\ & \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\ & X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\ & (m2_cat_1 X2 X0 X1) \Rightarrow ((v12_cat_1 X2 X0 X1) \Rightarrow (r2_funct_2 (u4_struct_0 \\ & X0) (u4_struct_0 X1) (k1_isocat_1 X1 X0 (k1_isocat_1 X0 X1 X2)) X2)))) \end{aligned}$$