

t12_matrix_6

(TMJbTupbdanm8Ge2EBbi7turrBRVdN9rxqH)

October 27, 2020

Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_matrix_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k5_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k2_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_finseq_1 : \iota \Rightarrow \iota$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $k4_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_matrix_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k12_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(\neg v1_xboole_0 X1) \Rightarrow (\\ & \forall X2.(m1_matrix_1 X2 X1 X0 X0) \Rightarrow ((k3_finseq_1 X2 = X0) \wedge ((k1_matrix_1 \\ & X2 = X0) \wedge (k2_matrix_1 X2 = k2_zfmisc_1 (k2_finseq_1 X0) (k2_finseq_1 \\ & X0)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge (\\
& (v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1_matrix_1 X1) \wedge (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 \\
& X0)))) \Rightarrow (\forall X2.((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 \\
& (u1_struct_0 X0)))) \Rightarrow ((k1_matrix_1 X1 = k3_finseq_1 X2) \Rightarrow ((k1_matrix_1 \\
& X2 = k6_numbers) \vee (k4_matrix_1 (u1_struct_0 X0) (k4_matrix_3 X0 \\
& X1 X2) = k4_matrix_3 X0 (k4_matrix_1 (u1_struct_0 X0) X2) (k4_matrix_1 \\
& (u1_struct_0 X0) X1))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
& ((\neg v6_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v33_algstr_0 X1) \wedge (\\
& (v3_group_1 X1) \wedge ((v5_group_1 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 \\
& X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge \\
& (l6_algstr_0 X1)))))))))) \Rightarrow (k5_matrix_1 X0 (u1_struct_0 X1) \\
& (k12_matrix_1 X1 X0) = k12_matrix_1 X1 X0))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.((v1_xxreal_0 X0) \wedge (v1_xxreal_0 X1)) \Rightarrow (r1_xxreal_0 X0 X0) \tag{4}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v7_ordinal1 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_matrix_1 X2 X1 X0 X0))) \Rightarrow (k5_matrix_1 X0 X1 X2 = k4_matrix_1 X1 X2) \tag{5}$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \tag{6}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0) \wedge ((v7_ordinal1 X1) \wedge (v7_ordinal1 X2))) \Rightarrow (\forall X3.(m1_matrix_1 X3 X0 X1 X2) \Rightarrow ((v1_matrix_1 X3) \wedge (m2_finseq_1 X3 (k3_finseq_2 X0)))) \tag{7}$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \tag{8}$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \tag{9}$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v7_ordinal1 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_matrix_1 X2 X1 X0 X0))) \Rightarrow (m1_matrix_1 (k5_matrix_1 X0 X1 X2) X1 X0 X0) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge (l6_algstr_0 X0)) \wedge (v7_ordinal1 X1)) \Rightarrow (m1_matrix_1 (k12_matrix_1 X0 X1) (u1_struct_0 X0) X1 X1) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\ ((\neg v6_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v33_algstr_0 X1) \wedge \\ (v3_group_1 X1) \wedge ((v5_group_1 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 \\ X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge \\ (l6_algstr_0 X1)))))))))) \Rightarrow (\forall X2.(m1_matrix_1 X2 (u1_struct_0 \\ X1) X0 X0) \Rightarrow (\forall X3.(m1_matrix_1 X3 (u1_struct_0 X1) X0 X0) \Rightarrow \\ ((r2_matrix_6 X0 X1 X2 X3) \Leftrightarrow ((k4_matrix_3 X1 X2 X3 = k4_matrix_3 X1 \\ X3 X2) \wedge (k4_matrix_3 X1 X2 X3 = k12_matrix_1 X1 X0)))))) \quad (13) \end{aligned}$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (v1_xxreal_0 X0) \quad (14)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0) \Rightarrow (v1_xreal_0 X0) \quad (15)$$

Theorem 1

$$\begin{aligned} \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\ ((\neg v6_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v33_algstr_0 X1) \wedge \\ (v3_group_1 X1) \wedge ((v5_group_1 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 \\ X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge \\ (l6_algstr_0 X1)))))))))) \Rightarrow (\forall X2.(m1_matrix_1 X2 (u1_struct_0 \\ X1) X0 X0) \Rightarrow (\forall X3.(m1_matrix_1 X3 (u1_struct_0 X1) X0 X0) \Rightarrow \\ ((r2_matrix_6 X0 X1 X2 X3) \Rightarrow ((r1_xxreal_0 X0 k6_numbers) \vee (r2_matrix_6 \\ X0 X1 (k5_matrix_1 X0 (u1_struct_0 X1) X3) (k5_matrix_1 X0 (u1_struct_0 \\ X1) X2)))))) \quad (16) \end{aligned}$$