

t12_tdlat_1

(TMJnzAep2a5F9eArQu17jwWPwBGv7N8djxU)

October 27, 2020

Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tops_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (r1_tarski (\\ & k1_tops_1 X0 X1) (k1_tops_1 X0 (k2_pre_topc X0 (k1_tops_1 X0 X1)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 X1) \Rightarrow (k3_xboole_0 X0 X1 = X0) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. (l1_pre_topc X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow (\forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow ((r1_tarski X1 X2) \Rightarrow (r1_tarski (k2_pre_topc \\ & X0 X1) (k2_pre_topc X0 X2)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski (k3_xboole_0 X0 X1) X0 \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (k9_subset_1 \\ & (u1_struct_0 X0) (k1_tops_1 X0 X1) (k1_tops_1 X0 X2) = k1_tops_1 \\ & X0 (k9_subset_1 (u1_struct_0 X0) X1 X2)))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. k3_xboole_0 (k3_xboole_0 X0 X1) X2 = k3_xboole_0 X0 (k3_xboole_0 X1 X2) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0))\Rightarrow(k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((l1_pre_topc X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow(k1_tops_1 X0 (k1_tops_1 X0 X1) = k1_tops_1 X0 X1) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0))\Rightarrow(m1_subset_1 (k9_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((l1_pre_topc X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k2_pre_topc X0 X1) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.((l1_pre_topc X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k1_tops_1 X0 X1) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0))\Rightarrow(k9_subset_1 X0 X1 X2 = k9_subset_1 X0 X2 X1) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \quad (13)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v2_pre_topc X0)\wedge(l1_pre_topc X0))\Rightarrow(\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow(\forall X2. \\ & (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow(k9_subset_1 \\ & (u1_struct_0 X0) (k2_pre_topc X0 (k1_tops_1 X0 (k9_subset_1 (u1_struct_0 \\ & X0) X1 (k9_subset_1 (u1_struct_0 X0) (k2_pre_topc X0 (k1_tops_1 \\ & X0 X2)) X2)))) (k9_subset_1 (u1_struct_0 X0) X1 (k9_subset_1 (u1_struct_0 \\ & X0) (k2_pre_topc X0 (k1_tops_1 X0 X2)) X2)) = k9_subset_1 (u1_struct_0 \\ & X0) (k2_pre_topc X0 (k1_tops_1 X0 (k9_subset_1 (u1_struct_0 X0) \\ & X1 X2))) (k9_subset_1 (u1_struct_0 X0) X1 X2)))) \end{aligned}$$