

# t130\_ncfcont1

(TMXisK4bmDNcv8Fxl1MyTeuJ1vGBzEMHZFU)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v4\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $l2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_partfun2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r7\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $r13\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg (X0 \in X1) \wedge ((m1\_subset\_1 X1 (k1\_zfmisc\_1 X2)) \wedge (v1\_xboole\_0 X2)) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))))))) \Rightarrow \\ & (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 X1) \wedge ((v4\_normsp\_0 X1) \wedge ((v2\_clvect\_1 X1) \wedge ((v3\_clvect\_1 X1) \wedge ((v4\_clvect\_1 X1) \wedge ((v5\_clvect\_1 X1) \wedge ((v8\_clvect\_1 X1) \wedge (l2\_clvect\_1 X1)))))))))))))) \Rightarrow \\ & (\forall X2. \forall X3. ((v1\_funct\_1 X3) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow ((r7\_ncfcont1 X0 X1 X3 X2) \Leftrightarrow (r7\_ncfcont1 X0 X1 (k2\_partfun1 (u1\_struct\_0 X0) (u1\_struct\_0 X1) X3 X2) X2))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge \\
& ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 \\
& X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 X1) \wedge \\
& ((v4\_normsp\_0 X1) \wedge ((v2\_clvect\_1 X1) \wedge ((v3\_clvect\_1 X1) \wedge ((v4\_clvect\_1 \\
& X1) \wedge ((v5\_clvect\_1 X1) \wedge ((v8\_clvect\_1 X1) \wedge (l2\_clvect\_1 X1)))))))))) \Rightarrow \\
& (\forall X2. \forall X3. ((v1\_funct\_1 X3) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow ((r13\_ncfcont1 \\
& X0 X1 X2 X3) \Rightarrow (r7\_ncfcont1 X0 X1 X3 X2)))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge \\
& ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 \\
& X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))) \Rightarrow \\
& (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow \\
& (r13\_ncfcont1 X0 X0 X1 (k1\_partfun2 (u1\_struct\_0 X0) X1)))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((m1\_subset\_1 X2 \\
& (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 X0 X1)))) \Rightarrow ((r2\_relset\_1 X0 X1 X2 X3) \Leftrightarrow (X2 = X3))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((v1\_funct\_1 X2) \wedge \\
& (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))) \Rightarrow ((v1\_funct\_1 \\
& (k2\_partfun1 X0 X1 X2 X3)) \wedge (m1\_subset\_1 (k2\_partfun1 X0 X1 X2 X3) \\
& (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 \\
& X0))) \Rightarrow ((v1\_funct\_1 (k1\_partfun2 X0 X1)) \wedge (m1\_subset\_1 (k1\_partfun2 \\
& X0 X1) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge \\
& ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 \\
& X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 X1) \wedge \\
& ((v4\_normsp\_0 X1) \wedge ((v2\_clvect\_1 X1) \wedge ((v3\_clvect\_1 X1) \wedge ((v4\_clvect\_1 \\
& X1) \wedge ((v5\_clvect\_1 X1) \wedge ((v8\_clvect\_1 X1) \wedge (l2\_clvect\_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow (\forall X3.(r7\_ncfcont1 \\
& X0 X1 X2 X3) \Leftrightarrow ((r1\_tarski X3 (k1\_relset\_1 (u1\_struct\_0 X0) X2)) \wedge \\
& (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow ((X4 \in X3) \Rightarrow (r1\_ncfcont1 \\
& X0 X1 (k2\_partfun1 (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2 X3) X4))))))
\end{aligned} \tag{8}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge \\
& ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 \\
& X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1\_funct\_1 X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X0)))))) \Rightarrow (\forall X2.(m1\_subset\_1 \\
& X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (((r1\_tarski X2 (k1\_relset\_1 \\
& (u1\_struct\_0 X0) X1)) \wedge (r2\_relset\_1 (u1\_struct\_0 X0) (u1\_struct\_0 \\
& X0) (k2\_partfun1 (u1\_struct\_0 X0) (u1\_struct\_0 X0) X1 X2) (k1\_partfun2 \\
& (u1\_struct\_0 X0) X2))) \Rightarrow (r7\_ncfcont1 X0 X0 X1 X2))))
\end{aligned}$$