

t132_group_2
(TMFgHt8dq3xGytkmwLcCJ7gqciGnoZQoFoQ)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $k13_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k14_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_wellord2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_group_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (r2_wellord2 X0 X1) \Leftrightarrow (k1_card_1 X0 = k1_card_1 X1) \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (\forall X2. (m1_group_2 X2 X0) \Rightarrow ((r2_wellord2 (k8_group_2 \\ X0 X2) (k13_group_2 X0 X2 X1)) \wedge (r2_wellord2 (k8_group_2 X0 X2) (\\ k14_group_2 X0 X2 X1)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge (l3_algstr_0 X0))) \Rightarrow (\forall X1. (m1_group_2 X1 X0) \Rightarrow ((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge (l3_algstr_0 X1)))) \quad (3)$$

Assume the following.

$$\forall X0. (l3_algstr_0 X0) \Rightarrow (l1_struct_0 X0) \quad (4)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. (m1_group_2 X1 X0) \Rightarrow (k8_group_2 X0 X1 = u1_struct_0 X1)) \quad (5)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (k7_struct_0 X0 = k1_card_1 (u1_struct_0 X0)) \quad (6)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_group_2 X2 X0) \Rightarrow ((k7_struct_0 X2 = k1_card_1 \\ & (k13_group_2 X0 X2 X1)) \wedge (k7_struct_0 X2 = k1_card_1 (k14_group_2 \\ & X0 X2 X1)))))) \end{aligned}$$