

t132_tmap_1 (TMJKmqAkCKWvfHaR- LYr3n6dcdWWdNFkkipvK)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_pre_topc : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tsep_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v5_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_tsep_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_tmap_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r4_tsep_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k10_tmap_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tsep_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_pre_topc : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\
& X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_pre_topc X1) \wedge (l1_pre_topc \\
& X1)))) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge (m1_pre_topc X2 X0))) \Rightarrow (\\
& \forall X3.((\neg v2_struct_0 X3) \wedge (m1_pre_topc X3 X0))) \Rightarrow ((\neg r1_tsep_1 \\
& X2 X3) \Rightarrow (\forall X4.((v1_funct_1 X4) \wedge ((v1_funct_2 X4 (u1_struct_0 \\
& X2) (u1_struct_0 X1)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X2) (u1_struct_0 X1))))))) \Rightarrow (\forall X5.((v1_funct_1 \\
& X5) \wedge ((v1_funct_2 X5 (u1_struct_0 X3) (u1_struct_0 X1)) \wedge (m1_subset_1 \\
& X5 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X3) (u1_struct_0 X1))))))) \Rightarrow \\
& (((r2_funct_2 (u1_struct_0 X2) (u1_struct_0 X1) (k3_tmap_1 X0 \\
& X1 (k1_tsep_1 X0 X2 X3) X2 (k10_tmap_1 X0 X1 X2 X3 X4 X5)) X4) \wedge (r2_funct_2 \\
& (u1_struct_0 X3) (u1_struct_0 X1) (k3_tmap_1 X0 X1 (k1_tsep_1 X0 \\
& X2 X3) X3 (k10_tmap_1 X0 X1 X2 X3 X4 X5)) X5)) \Leftrightarrow (r2_funct_2 (u1_struct_0 \\
& (k2_tsep_1 X0 X2 X3)) (u1_struct_0 X1) (k3_tmap_1 X0 X1 X2 (k2_tsep_1 \\
& X0 X2 X3) X4) (k3_tmap_1 X0 X1 X3 (k2_tsep_1 X0 X2 X3) X5)))))) \\
& \hspace{15em} (1)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_pre_topc X1) \wedge (l1_pre_topc X1)))) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge (m1_pre_topc X2 X0))) \Rightarrow (\forall X3.((\neg v2_struct_0 X3) \wedge (m1_pre_topc X3 X0))) \Rightarrow ((r4_tsep_1 X0 X2 X3) \Rightarrow (\forall X4.((v1_funct_1 X4) \wedge ((v1_funct_2 X4 (u1_struct_0 (k1_tsep_1 X0 X2 X3) (u1_struct_0 X1)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 (k1_tsep_1 X0 X2 X3) (u1_struct_0 X1)))))) \Rightarrow (((v1_funct_1 X4) \wedge ((v1_funct_2 X4 (u1_struct_0 (k1_tsep_1 X0 X2 X3) (u1_struct_0 X1)) \wedge (v5_pre_topc X4 (k1_tsep_1 X0 X2 X3) X1) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 (k1_tsep_1 X0 X2 X3) (u1_struct_0 X1)))))) \Leftrightarrow (((v1_funct_1 (k3_tmap_1 X0 X1 (k1_tsep_1 X0 X2 X3) X2 X4) \wedge ((v1_funct_2 (k3_tmap_1 X0 X1 (k1_tsep_1 X0 X2 X3) X2 X4) (u1_struct_0 X2) (u1_struct_0 X1)) \wedge (v5_pre_topc (k3_tmap_1 X0 X1 (k1_tsep_1 X0 X2 X3) X2 X4) X2 X1) \wedge (m1_subset_1 (k3_tmap_1 X0 X1 (k1_tsep_1 X0 X2 X3) X2 X4) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X2) (u1_struct_0 X1)))))) \wedge ((v1_funct_1 (k3_tmap_1 X0 X1 (k1_tsep_1 X0 X2 X3) X3 X4) \wedge ((v1_funct_2 (k3_tmap_1 X0 X1 (k1_tsep_1 X0 X2 X3) X3 X4) (u1_struct_0 X3) (u1_struct_0 X1)) \wedge (v5_pre_topc (k3_tmap_1 X0 X1 (k1_tsep_1 X0 X2 X3) X3 X4) X3 X1) \wedge (m1_subset_1 (k3_tmap_1 X0 X1 (k1_tsep_1 X0 X2 X3) X3 X4) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X3) (u1_struct_0 X1))))))))))))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 X3) \Leftrightarrow (X2 = X3))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.(((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc X0))) \wedge (((\neg v2_struct_0 X1) \wedge ((v2_pre_topc X1) \wedge (l1_pre_topc X1))) \wedge ((m1_pre_topc X2 X0) \wedge (m1_pre_topc X3 X0) \wedge ((v1_funct_1 X4) \wedge ((v1_funct_2 X4 (u1_struct_0 X2) (u1_struct_0 X1)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X2) (u1_struct_0 X1))))))))) \Rightarrow ((v1_funct_1 (k3_tmap_1 X0 X1 X2 X3 X4) \wedge ((v1_funct_2 (k3_tmap_1 X0 X1 X2 X3 X4) (u1_struct_0 X3) (u1_struct_0 X1)) \wedge (m1_subset_1 (k3_tmap_1 X0 X1 X2 X3 X4) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X3) (u1_struct_0 X1))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_pre_topc \\ & X0))\wedge(((\neg v2_struct_0 X1)\wedge(m1_pre_topc X1 X0))\wedge((\neg v2_struct_0 \\ & X2)\wedge(m1_pre_topc X2 X0))))\Rightarrow((\neg v2_struct_0 (k1_tsep_1 X0 X1 X2))\wedge \\ & ((v1_pre_topc (k1_tsep_1 X0 X1 X2))\wedge(m1_pre_topc (k1_tsep_1 X0 \\ & X1 X2) X0))) \end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ & (((\neg v2_struct_0 X0)\wedge((v2_pre_topc X0)\wedge(l1_pre_topc X0)))\wedge(\\ & ((\neg v2_struct_0 X1)\wedge((v2_pre_topc X1)\wedge(l1_pre_topc X1)))\wedge((\\ & (\neg v2_struct_0 X2)\wedge(m1_pre_topc X2 X0))\wedge(((\neg v2_struct_0 X3)\wedge \\ & (m1_pre_topc X3 X0))\wedge(((v1_funct_1 X4)\wedge((v1_funct_2 X4 (u1_struct_0 \\ & X2) (u1_struct_0 X1))\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X2) (u1_struct_0 X1))))))\wedge((v1_funct_1 X5)\wedge((v1_funct_2 \\ & X5 (u1_struct_0 X3) (u1_struct_0 X1))\wedge(m1_subset_1 X5 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X3) (u1_struct_0 X1))))))))))\Rightarrow((\\ & v1_funct_1 (k10_tmap_1 X0 X1 X2 X3 X4 X5))\wedge((v1_funct_2 (k10_tmap_1 \\ & X0 X1 X2 X3 X4 X5) (u1_struct_0 (k1_tsep_1 X0 X2 X3)) (u1_struct_0 \\ & X1))\wedge(m1_subset_1 (k10_tmap_1 X0 X1 X2 X3 X4 X5) (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 (k1_tsep_1 X0 X2 X3)) (u1_struct_0 X1)))))) \end{aligned} \tag{6}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v2_pre_topc X0)\wedge(l1_pre_topc \\ & X0)))\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge((v2_pre_topc X1)\wedge(l1_pre_topc \\ & X1)))\Rightarrow(\forall X2.((\neg v2_struct_0 X2)\wedge(m1_pre_topc X2 X0))\Rightarrow(\\ & \forall X3.((\neg v2_struct_0 X3)\wedge(m1_pre_topc X3 X0))\Rightarrow((\neg r1_tsep_1 \\ & X2 X3)\Rightarrow(\forall X4.((v1_funct_1 X4)\wedge((v1_funct_2 X4 (u1_struct_0 \\ & X2) (u1_struct_0 X1))\wedge((v5_pre_topc X4 X2 X1)\wedge(m1_subset_1 X4 \\ & (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X2) (u1_struct_0 X1))))))\Rightarrow \\ & (\forall X5.((v1_funct_1 X5)\wedge((v1_funct_2 X5 (u1_struct_0 X3) \\ & (u1_struct_0 X1))\wedge((v5_pre_topc X5 X3 X1)\wedge(m1_subset_1 X5 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X3) (u1_struct_0 X1))))))\Rightarrow(((r2_funct_2 \\ & (u1_struct_0 (k2_tsep_1 X0 X2 X3)) (u1_struct_0 X1) (k3_tmap_1 \\ & X0 X1 X2 (k2_tsep_1 X0 X2 X3) X4) (k3_tmap_1 X0 X1 X3 (k2_tsep_1 X0 X2 \\ & X3) X5))\wedge(r4_tsep_1 X0 X2 X3))\Rightarrow((v1_funct_1 (k10_tmap_1 X0 X1 X2 \\ & X3 X4 X5))\wedge((v1_funct_2 (k10_tmap_1 X0 X1 X2 X3 X4 X5) (u1_struct_0 \\ & (k1_tsep_1 X0 X2 X3)) (u1_struct_0 X1))\wedge((v5_pre_topc (k10_tmap_1 \\ & X0 X1 X2 X3 X4 X5) (k1_tsep_1 X0 X2 X3) X1)\wedge(m1_subset_1 (k10_tmap_1 \\ & X0 X1 X2 X3 X4 X5) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 (k1_tsep_1 \\ & X0 X2 X3)) (u1_struct_0 X1)))))))))) \end{aligned}$$