

t133_group_2 (TM- SQeLkMt8VGN8jSRS9t6tPnmyRVn4AMYht)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v8_struct_0 : \iota \Rightarrow o$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $k13_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k14_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_group_1 : \iota \Rightarrow \iota$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $r2_wellord2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $k8_group_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k7_struct_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. (r2_wellord2 X0 X1) \Leftrightarrow (k1_card_1 X0 = k1_card_1 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. ((r2_wellord2 X0 X1) \wedge (v1_finset_1 X0)) \Rightarrow (v1_finset_1 X1) \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (\forall X2. (m1_group_2 X2 X0) \Rightarrow ((r2_wellord2 (k8_group_2 \\ X0 X2) (k13_group_2 X0 X2 X1)) \wedge (r2_wellord2 (k8_group_2 X0 X2) (\\ k14_group_2 X0 X2 X1)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. ((v8_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (k7_group_1 X0 = k7_struct_0 X0) \quad (4)$$

Assume the following.

$$\forall X0. (v1_finset_1 X0) \Rightarrow (k5_card_1 X0 = k1_card_1 X0) \quad (5)$$

Assume the following.

$$\forall X0.((v8_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (v1_finset_1 (u1_struct_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge (l3_algstr_0 X0))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow ((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge (l3_algstr_0 X1)))) \quad (7)$$

Assume the following.

$$\forall X0.(l3_algstr_0 X0) \Rightarrow (l1_struct_0 X0) \quad (8)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (k8_group_2 X0 X1 = u1_struct_0 X1)) \quad (9)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (k7_struct_0 X0 = k1_card_1 (u1_struct_0 X0)) \quad (10)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.((v8_struct_0 X2) \wedge (m1_group_2 X2 X0)) \Rightarrow (\exists X3.(v1_finset_1 X3) \wedge (\exists X4.(v1_finset_1 X4) \wedge ((X3 = k13_group_2 X0 X2 X1) \wedge ((X4 = k14_group_2 X0 X2 X1) \wedge ((k7_group_1 X2 = k5_card_1 X3) \wedge (k7_group_1 X2 = k5_card_1 X4))))))))))$$