

t13_analort

(TMYJpk4c6PNDpGnUUp2CXbhUBqdpSffhVJw)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_analort : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_real_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
 & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
 & (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4. (m1_subset_1 X4 k1_numbers) \Rightarrow \\
 & (\forall X5. (m1_subset_1 X5 k1_numbers) \Rightarrow (((r1_analmetr X0 X1 X2) \wedge (X3 = k3_rlvect_1 X0 (k1_rlvect_1 X0 X1 X4) (k1_rlvect_1 X0 X2 X5))) \Rightarrow ((X4 = k2_geomtrap X0 X1 X2 X3) \wedge (X5 = k3_geomtrap X0 X1 X2 X3))))))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
 & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
 & (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow ((r1_analmetr X0 X1 X2) \Rightarrow (X3 = k3_rlvect_1 X0 (k1_rlvect_1 X0 X1 (k2_geomtrap X0 X1 X2 X3) (k1_rlvect_1 X0 X2 (k3_geomtrap X0 X1 X2 X3))))))))))
 \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (k1_real_1 (k1_real_1 X0) = X0) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\ & X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ & ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 \\ & X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge ((m1_subset_1 \\ & X1 (u1_struct_0 X0)) \wedge ((m1_subset_1 X2 (u1_struct_0 X0)) \wedge (m1_subset_1 \\ & X3 (u1_struct_0 X0)))))) \Rightarrow (m1_subset_1 (k3_geomtrap X0 X1 X2 X3) \\ & k1_numbers) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\ & X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ & ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 \\ & X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge ((m1_subset_1 \\ & X1 (u1_struct_0 X0)) \wedge ((m1_subset_1 X2 (u1_struct_0 X0)) \wedge (m1_subset_1 \\ & X3 (u1_struct_0 X0)))))) \Rightarrow (m1_subset_1 (k2_geomtrap X0 X1 X2 X3) \\ & k1_numbers) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\ & X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ & ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 \\ & X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge ((m1_subset_1 \\ & X1 (u1_struct_0 X0)) \wedge ((m1_subset_1 X2 (u1_struct_0 X0)) \wedge (m1_subset_1 \\ & X3 (u1_struct_0 X0)))))) \Rightarrow (m1_subset_1 (k2_analort X0 X1 X2 X3) (\\ & u1_struct_0 X0)) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (m1_subset_1 (k1_real_1 X0) k1_numbers) \quad (7)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow ((r1_analmetr X0 X1 X2) \Rightarrow (\forall X4.(m1_subset_1 \\
& X4 k1_numbers) \Rightarrow ((X4 = k2_geomtrap X0 X1 X2 X3) \Leftrightarrow (\exists X5.(m1_subset_1 \\
& X5 k1_numbers) \wedge (X3 = k3_rlvect_1 X0 (k1_rlvect_1 X0 X1 X4) (k1_rlvect_1 \\
& X0 X2 X5))))))))))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (k2_analort X0 X1 X2 X3 = k3_rlvect_1 X0 (k1_rlvect_1 \\
& X0 X1 (k3_geomtrap X0 X1 X2 X3)) (k1_rlvect_1 X0 X2 (k1_real_1 (k2_geomtrap \\
& X0 X1 X2 X3))))))
\end{aligned} \tag{9}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\
& X0)) \Rightarrow (((r1_analmetr X0 X1 X2) \wedge (k2_analort X0 X1 X2 X3 = k2_analort \\
& X0 X1 X2 X4)) \Rightarrow (X3 = X4))))))
\end{aligned}$$