

# t13\_anproj\_1 (TMTXM- jEW83yKVEGfLnnBSqZNzmZLvVzoBNr)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k3\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_anproj\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k1\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $k1\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_real\_1 : \iota \Rightarrow \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $v1\_xreal\_0 : \iota \Rightarrow o$  be given. Let  $v2\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $np\_0 : \iota$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_rlvect\_1 \\ &X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l2\_algstr\_0 X0)))) \Rightarrow (\forall X1. (m1\_subset\_1 \\ &X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 \\ &X0)) \Rightarrow ((k1\_algstr\_0 X0 X1 X2 = k4\_struct\_0 X0) \Rightarrow (X1 = k4\_algstr\_0 \\ &X0 X2)))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. (v1\_xboole\_0 X0) \Rightarrow (X0 = k1\_xboole\_0) \tag{2}$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_rlvect\_1 \\ &X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l2\_algstr\_0 X0)))) \Rightarrow (\forall X1. (m1\_subset\_1 \\ &X1 (u1\_struct\_0 X0)) \Rightarrow ((k1\_algstr\_0 X0 X1 (k4\_struct\_0 X0) = X1) \wedge \\ &(k1\_algstr\_0 X0 (k4\_struct\_0 X0) X1 = X1))) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\ & (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((r1\_anproj\_1 \\ & X0 X1 X2) \Leftrightarrow (\exists X3.(m1\_subset\_1 X3 k1\_numbers) \wedge ((X3 \neq k6\_numbers) \wedge \\ & (X1 = k1\_rlvect\_1 X0 X2 X3)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_rlvect\_1 \\ & X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l2\_algstr\_0 X0)))))) \Rightarrow (\forall X1.(m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \Rightarrow (k4\_algstr\_0 X0 (k4\_algstr\_0 X0 X1) = X1)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\ & (k4\_algstr\_0 X0 X1 = k1\_rlvect\_1 X0 X1 (k1\_real\_1 np\_1))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0 X1) \wedge ( \\ & (v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 \\ & X1) \wedge ((v5\_rlvect\_1 X1) \wedge ((v6\_rlvect\_1 X1) \wedge ((v7\_rlvect\_1 X1) \wedge \\ & ((v8\_rlvect\_1 X1) \wedge (l1\_rlvect\_1 X1)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 \\ & X2 (u1\_struct\_0 X1)) \Rightarrow (((X0 = k6\_numbers) \vee (X2 = k4\_struct\_0 X1)) \Rightarrow \\ & (k1\_rlvect\_1 X1 X2 X0 = k4\_struct\_0 X1))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & ((v2\_xxreal\_0 np\_1) \wedge (m2\_subset\_1 np\_1 k1\_numbers k5\_numbers)) \wedge \\ & ((m1\_subset\_1 np\_1 k5\_numbers) \wedge (m1\_subset\_1 np\_1 k1\_numbers)) \end{aligned} \quad (8)$$

Assume the following.

$$v1\_xboole\_0 np\_0 \quad (9)$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v2\_rlvect\_1 X0) \wedge (l1\_algstr\_0 \\ & X0)) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)))) \Rightarrow (k3\_rlvect\_1 X0 X1 X2 = k1\_algstr\_0 X0 X1 X2) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.(l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (12)$$

Assume the following.

$$\forall X0.(l1\_rlvect\_1 X0) \Rightarrow (l2\_algstr\_0 X0) \quad (13)$$

Assume the following.

$$\forall X0.(l2\_struct\_0 X0) \Rightarrow (m1\_subset\_1 (k4\_struct\_0 X0) (u1\_struct\_0 X0)) \quad (14)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k1\_numbers) \Rightarrow (m1\_subset\_1 (k1\_real\_1 X0) k1\_numbers) \quad (15)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_rlvect\_1 X0)) \Rightarrow ((v8\_rlvect\_1 X0) \Leftrightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (k1\_rlvect\_1 X0 X1 np_{-1} = X1))) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v2\_rlvect\_1 X0) \wedge (l1\_algstr\_0 X0)) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (k3\_rlvect\_1 X0 X1 X2 = k3\_rlvect\_1 X0 X2 X1) \quad (17)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k1\_numbers) \Rightarrow (v1\_xreal\_0 X0) \quad (18)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\ & (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((k3\_rlvect\_1 X0 X1 X2 = k4\_struct\_0 X0) \Rightarrow (r1\_anproj\_1 X0 X1 X2)))) \end{aligned}$$