

t13_bilinear (TMWLu- LAC5scJf3XsHsLuA5gtBLKqaHRNu8k)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_bilinear : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_bilinear : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_hahnban1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge (l1_vectsp_1 X1 X0)) \Rightarrow (\forall X2.((\neg v2_struct_0 \\
& X2) \wedge (l1_vectsp_1 X2 X0)) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 \\
& X3 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 X0)))))) \Rightarrow (\forall X4. \\
& (m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow ((k1_relset_1 (u1_struct_0 \\
& X2) (k7_bilinear X0 X1 X2 X3 X4) = u1_struct_0 X2) \wedge ((r1_tarski (k2_relset_1 \\
& (u1_struct_0 X0) (k7_bilinear X0 X1 X2 X3 X4)) (u1_struct_0 X0)) \wedge \\
& (\forall X5.(m1_subset_1 X5 (u1_struct_0 X2)) \Rightarrow (k3_funct_2 (u1_struct_0 \\
& X2) (u1_struct_0 X0) (k7_bilinear X0 X1 X2 X3 X4) X5 = k2_binop_1 (\\
& u1_struct_0 X1) (u1_struct_0 X2) (u1_struct_0 X0) X3 X4 X5)))))) \\
& \tag{1}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X2) \wedge \\
& ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 X1)))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\
& X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 \\
& X3) \Leftrightarrow (X2 = X3)) \\
& \tag{2}
\end{aligned}$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (3)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0)\Rightarrow(l1_struct_0 X0) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.(((\neg v2_struct_0 \\ & X0)\wedge(l1_struct_0 X0))\wedge(((\neg v2_struct_0 X1)\wedge(l1_vectsp_1 X1 X0))\wedge \\ & (((\neg v2_struct_0 X2)\wedge(l1_vectsp_1 X2 X0))\wedge((v1_funct_1 X3)\wedge \\ & (v1_funct_2 X3 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) \\ & (u1_struct_0 X0))\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 \\ & X0))))))\wedge(m1_subset_1 X4 (u1_struct_0 X1))))))\Rightarrow((v1_funct_1 \\ & (k7_bilinear X0 X1 X2 X3 X4))\wedge((v1_funct_2 (k7_bilinear X0 X1 X2 \\ & X3 X4) (u1_struct_0 X2) (u1_struct_0 X0))\wedge(m1_subset_1 (k7_bilinear \\ & X0 X1 X2 X3 X4) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X2) (u1_struct_0 \\ & X0)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.(((\neg v2_struct_0 \\ & X0)\wedge(l2_algstr_0 X0))\wedge(((\neg v2_struct_0 X1)\wedge(l1_vectsp_1 X1 X0))\wedge \\ & (((\neg v2_struct_0 X2)\wedge(l1_vectsp_1 X2 X0))\wedge((v1_funct_1 X3)\wedge \\ & ((v1_funct_2 X3 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) \\ & (u1_struct_0 X0))\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 \\ & X0))))))\wedge((v1_funct_1 X4)\wedge((v1_funct_2 X4 (k2_zfmisc_1 (u1_struct_0 \\ & X1) (u1_struct_0 X2)) (u1_struct_0 X0))\wedge(m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) \\ & (u1_struct_0 X0))))))\wedge((v1_funct_1 (k2_bilinear X0 X1 X2 \\ & X3 X4))\wedge((v1_funct_2 (k2_bilinear X0 X1 X2 X3 X4) (k2_zfmisc_1 (\\ & u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 X0))\wedge(m1_subset_1 \\ & (k2_bilinear X0 X1 X2 X3 X4) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 X0)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge (l1_vectsp_1 X1 X0)) \Rightarrow (\forall X2.((v1_funct_1 \\
& X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X1) (u1_struct_0 X0)) \wedge (m1_subset_1 \\
& X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow \\
& (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 X1) \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (\forall X4.((v1_funct_1 \\
& X4) \wedge ((v1_funct_2 X4 (u1_struct_0 X1) (u1_struct_0 X0)) \wedge (m1_subset_1 \\
& X4 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow \\
& ((X4 = k3_hahnban1 X0 X1 X2 X3) \Leftrightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 \\
& X1)) \Rightarrow (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X0) X4 X5 = k1_algstr_0 \\
& X0 (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X0) X2 X5) (k3_funct_2 \\
& (u1_struct_0 X1) (u1_struct_0 X0) X3 X5)))))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge (l1_vectsp_1 X1 X0)) \Rightarrow (\forall X2.((\neg v2_struct_0 \\
& X2) \wedge (l1_vectsp_1 X2 X0)) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 \\
& X3 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 X0)))))) \Rightarrow (\forall X4. \\
& ((v1_funct_1 X4) \wedge ((v1_funct_2 X4 (k2_zfmisc_1 (u1_struct_0 X1) \\
& (u1_struct_0 X2)) (u1_struct_0 X0)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\
& (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) \\
& (u1_struct_0 X0)))))) \Rightarrow (\forall X5.((v1_funct_1 X5) \wedge ((v1_funct_2 \\
& X5 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 X0)))))) \Rightarrow ((X5 = \\
& k2_bilinear X0 X1 X2 X3 X4) \Leftrightarrow (\forall X6.(m1_subset_1 X6 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X7.(m1_subset_1 X7 (u1_struct_0 X2)) \Rightarrow (k2_binop_1 \\
& (u1_struct_0 X1) (u1_struct_0 X2) (u1_struct_0 X0) X5 X6 X7 = k1_algstr_0 \\
& X0 (k2_binop_1 (u1_struct_0 X1) (u1_struct_0 X2) (u1_struct_0 \\
& X0) X3 X6 X7) (k2_binop_1 (u1_struct_0 X1) (u1_struct_0 X2) (u1_struct_0 \\
& X0) X4 X6 X7)))))))))
\end{aligned} \tag{8}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge (l1_vectsp_1 X1 X0)) \Rightarrow (\forall X2.((\neg v2_struct_0 \\ & X2) \wedge (l1_vectsp_1 X2 X0)) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 \\ & X3 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X1) (u1_struct_0 X2)) (u1_struct_0 X0)))))) \Rightarrow (\forall X4. \\ & ((v1_funct_1 X4) \wedge ((v1_funct_2 X4 (k2_zfmisc_1 (u1_struct_0 X1) \\ & (u1_struct_0 X2)) (u1_struct_0 X0)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2)) \\ & (u1_struct_0 X0)))))) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 \\ & X1)) \Rightarrow (r2_funct_2 (u1_struct_0 X2) (u1_struct_0 X0) (k7_bilinear \\ & X0 X1 X2 (k2_bilinear X0 X1 X2 X3 X4) X5) (k3_hahnban1 X0 X2 (k7_bilinear \\ & X0 X1 X2 X3 X5) (k7_bilinear X0 X1 X2 X4 X5)))))) \end{aligned}$$