

t13_matrlin

(TMY7c6ukyim9zasxrNRTGPyUUVwbFzVc9BG)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_matrlin : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k4_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_matrlin : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $k6_finseq_1 : \iota \Rightarrow \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $v1_card_1 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_pre_poly : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (1)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (k4_rlvect_1 X0 (k6_finseq_1 (u1_struct_0 X0)) = k4_struct_0 X0) \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (3)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (4)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (k3_finseq_1 X0 = k1_card_1 X0) \quad (5)$$

Assume the following.

$$\forall X0.v1_xboole_0 (k6_finseq_1 X0) \quad (6)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0) \Rightarrow ((\neg v1_xboole_0 (k1_card_1 X0)) \wedge (v1_card_1 (k1_card_1 X0))) \quad (7)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0) \Rightarrow ((v1_relat_1 X1) \wedge (v1_funct_1 X1) \wedge (v1_finseq_1 X1)) \quad (9)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (12)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(l1_vectsp_1 X1 X0) \Rightarrow (l2_algstr_0 X1)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \wedge (m1_finseq_1 X1 (k3_finseq_2 (u1_struct_0 X0)))) \Rightarrow (m2_finseq_1 (k6_matrlin X0 X1) (u1_struct_0 X0)) \quad (14)$$

Assume the following.

$$\forall X0.m2_finseq_1 (k6_finseq_1 X0) X0 \quad (15)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\
& (m2_finseq_1 X1 (k3_finseq_2 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\
(m2_finseq_1 X2 (u1_struct_0 X0)) \Rightarrow ((X2 = k6_matrlin X0 X1) \Leftrightarrow ((k3_finseq_1 \\
& X2 = k3_finseq_1 X1) \wedge (\forall X3.(v7_ordinal1 X3) \Rightarrow ((X3 \in k9_xtuple_0 \\
& X2) \Rightarrow (k7_partfun1 (u1_struct_0 X0) X2 X3 = k4_rlvect_1 X0 (k9_pre_poly \\
& (u1_struct_0 X0) k5_numbers (k3_finseq_2 (u1_struct_0 X0)) X1 \\
& X3)))))))))) \\
& \hspace{20em} (16)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge (v33_algstr_0 X0) \wedge (v3_group_1 X0) \wedge (v5_group_1 X0) \wedge (\\
& (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 X0) \wedge (v3_rlvect_1 \\
& X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge (v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 \\
& X0) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge \\
& ((v1_matrlin X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2. \\
& ((v1_matrix_1 X2) \wedge (m2_finseq_1 X2 (k3_finseq_2 (u1_struct_0 \\
& X1)))) \Rightarrow ((k3_finseq_1 X2 = k6_numbers) \Rightarrow (k4_rlvect_1 X1 (k6_matrlin \\
& X1 X2) = k4_struct_0 X1)))
\end{aligned}$$