

t13_normsp_2 (TMFywwKtnCpYRvgMpCKdnsR- DoAb4QmL36ju)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_normsp_2 : \iota \Rightarrow \iota$ be given. Let $r1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_frechet : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_normsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_normsp_2 : \iota \Rightarrow \iota$ be given. Let $v2_tbsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v6_metric_1 : \iota \Rightarrow o$ be given. Let $v7_metric_1 : \iota \Rightarrow o$ be given. Let $v8_metric_1 : \iota \Rightarrow o$ be given. Let $v9_metric_1 : \iota \Rightarrow o$ be given. Let $l1_metric_1 : \iota \Rightarrow o$ be given. Let $k3_pcomps_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $v2_tops_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $g1_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $g1_metric_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_pre_topc : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k2_pcomps_1 : \iota \Rightarrow \iota$ be given. Let $k1_normsp_2 : \iota \Rightarrow \iota$ be given. Let $v1_metric_1 : \iota \Rightarrow o$ be given. Let $u1_pre_topc : \iota \Rightarrow \iota$ be given. Let $u1_metric_1 : \iota \Rightarrow \iota$ be given. Assume the fol-

lowing.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 (k2_normsp_2 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 k5_numbers (u1_struct_0 (k2_normsp_2 X0)))))) \Rightarrow \\
& ((r1_funct_2 k5_numbers (u1_struct_0 X0) k5_numbers (u1_struct_0 \\
& (k2_normsp_2 X0)) X1 X2) \Rightarrow ((v2_tbsp_1 X2 (k2_normsp_2 X0)) \Leftrightarrow (v3_normsp_1 \\
& X1 X0))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v6_metric_1 X0) \wedge ((v7_metric_1 \\
& X0) \wedge ((v8_metric_1 X0) \wedge ((v9_metric_1 X0) \wedge (l1_metric_1 X0)))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 (k3_pcomps_1 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 k5_numbers (u1_struct_0 (k3_pcomps_1 X0)))))) \Rightarrow \\
& ((r1_funct_2 k5_numbers (u1_struct_0 X0) k5_numbers (u1_struct_0 \\
& (k3_pcomps_1 X0)) X1 X2) \Rightarrow ((v2_tbsp_1 X1 X0) \Leftrightarrow (v2_frechet X2 (k3_pcomps_1 \\
& X0))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. \forall X5. \\
& ((\neg v1_xboole_0 X1) \wedge ((\neg v1_xboole_0 X3) \wedge (((v1_funct_1 X4) \wedge ((\\
& v1_funct_2 X4 X0 X1) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 X1)))))) \wedge ((v1_funct_1 X5) \wedge ((v1_funct_2 X5 X2 X3) \wedge (m1_subset_1 \\
& X5 (k1_zfmisc_1 (k2_zfmisc_1 X2 X3)))))) \Rightarrow ((r1_funct_2 X0 X1 \\
& X2 X3 X4 X5) \Leftrightarrow (X4 = X5))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\
& X0))) \Rightarrow (\exists X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\
& X0))) \wedge ((\neg v1_xboole_0 X1) \wedge (\neg v2_tops_1 X1 X0)))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\
& X0))) \Rightarrow (\forall X2. \forall X3.(g1_pre_topc X0 X1 = g1_pre_topc \\
& X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3)))
\end{aligned} \tag{5}$$

Assume the following.

$$\forall X0.\forall X1.((v1_funct_1 X1)\wedge((v1_funct_2 X1 (k2_zfmisc_1 X0 X0) k1_numbers)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) k1_numbers))))))\Rightarrow(\forall X2.\forall X3.(g1_metric_1 X0 X1 = g1_metric_1 X2 X3)\Rightarrow((X0 = X2)\wedge(X1 = X3))) \quad (6)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l1_metric_1 X0)\Rightarrow((v1_pre_topc (k3_pcomps_1 X0))\wedge (v2_pre_topc (k3_pcomps_1 X0))) \quad (8)$$

Assume the following.

$$\forall X0.(l2_normsp_0 X0)\Rightarrow((l1_normsp_0 X0)\wedge(l2_struct_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l1_normsp_1 X0)\Rightarrow((l1_rlvect_1 X0)\wedge(l2_normsp_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l1_normsp_0 X0)\Rightarrow(l1_struct_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 X0)\wedge(l1_normsp_1 X0))))))))))))))\Rightarrow((\neg v2_struct_0 (k3_normsp_2 X0))\wedge((v2_pre_topc (k3_normsp_2 X0))\wedge(l1_pre_topc (k3_normsp_2 X0)))) \quad (12)$$

Assume the following.

$$\forall X0.(l1_metric_1 X0)\Rightarrow(m1_subset_1 (k2_pcomps_1 X0) (k1_zfmisc_1 (k1_zfmisc_1 (u1_struct_0 X0)))) \quad (13)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 X0)\wedge(l1_normsp_1 X0))))))))))))))\Rightarrow((\neg v2_struct_0 (k2_normsp_2 X0))\wedge((v6_metric_1 (k2_normsp_2 X0))\wedge((v7_metric_1 (k2_normsp_2 X0))\wedge((v8_metric_1 (k2_normsp_2 X0))\wedge((v9_metric_1 (k2_normsp_2 X0))\wedge(l1_metric_1 (k2_normsp_2 X0))))))) \quad (14)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& ((v1_funct_1 (k1_normsp_2 X0)) \wedge ((v1_funct_2 (k1_normsp_2 X0) \\
& (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) k1_numbers) \wedge \\
& (m1_subset_1 (k1_normsp_2 X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X0)) k1_numbers))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (k2_zfmisc_1 \\
& X0 X0) k1_numbers) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (k2_zfmisc_1 X0 X0) k1_numbers)))))) \Rightarrow ((v1_metric_1 (g1_metric_1 \\
& X0 X1)) \wedge (l1_metric_1 (g1_metric_1 X0 X1)))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (l1_metric_1 X0) \Rightarrow (k3_pcomps_1 X0 = g1_pre_topc (u1_struct_0 \\
& X0) (k2_pcomps_1 X0))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (k3_normsp_2 X0 = k3_pcomps_1 (k2_normsp_2 X0))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (k2_normsp_2 X0 = g1_metric_1 (u1_struct_0 X0) (k1_normsp_2 X0))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (v1_xboole_0 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 \\
& X0)) \Rightarrow (v1_xboole_0 X1))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (l1_pre_topc X0) \Rightarrow ((v1_pre_topc X0) \Rightarrow (X0 = g1_pre_topc \\
& (u1_struct_0 X0) (u1_pre_topc X0)))
\end{aligned} \tag{21}$$

Assume the following.

$$\forall X0.(l1_metric_1 X0) \Rightarrow ((v1_metric_1 X0) \Rightarrow (X0 = g1_metric_1 (u1_struct_0 X0) (u1_metric_1 X0))) \quad (22)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge ((v4_normsp_0 X0) \wedge (v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 (k3_normsp_2 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 (k3_normsp_2 X0)))))) \Rightarrow ((r1_funct_2 k5_numbers (u1_struct_0 X0) k5_numbers (u1_struct_0 (k3_normsp_2 X0)) X1 X2) \Rightarrow ((v2_frechet X2 (k3_normsp_2 X0)) \Leftrightarrow (v3_normsp_1 X1 X0)))))) \end{aligned}$$