

# t13\_rusub\_3 (TMLrPGfcXHp- NuL8FWd8nkbTFuv3fRVn5qGk)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v1\_bhsp\_1 : \iota \Rightarrow o$  be given. Let  $v2\_bhsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_bhsp\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_rlvect\_3 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_rusub\_3 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_rusub\_3 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $g1\_bhsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u2\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $u1\_algstr\_0 : \iota \Rightarrow \iota$  be given. Let  $u1\_rlvect\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_bhsp\_1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhsp\_1 \\ & X0) \wedge (l1\_bhsp\_1 X0)))))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ & (u1\_struct\_0 X0))) \Rightarrow (\neg (v1\_rlvect\_3 X1 X0) \wedge (\forall X2. (m1\_subset\_1 \\ & X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\neg (r1\_tarski X1 X2) \wedge ((v1\_rlvect\_3 \\ & X2 X0) \wedge (k1\_rusub\_3 X0 X2 = g1\_bhsp\_1 (u1\_struct\_0 X0) (u2\_struct\_0 \\ & X0) (u1\_algstr\_0 X0) (u1\_rlvect\_1 X0) (u1\_bhsp\_1 X0))))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v2\_bhsp\_1 \\ & X0) \wedge (l1\_bhsp\_1 X0)))))))))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ & (u1\_struct\_0 X0))) \Rightarrow ((m1\_rusub\_3 X1 X0) \Leftrightarrow ((v1\_rlvect\_3 X1 X0) \wedge \\ & (k1\_rusub\_3 X0 X1 = g1\_bhsp\_1 (u1\_struct\_0 X0) (u2\_struct\_0 X0) \\ & (u1\_algstr\_0 X0) (u1\_rlvect\_1 X0) (u1\_bhsp\_1 X0)))))) \end{aligned} \tag{2}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v2\_rlvect\_1 \\ & X0) \wedge (v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge (v7\_rlvect\_1 X0) \wedge (v8\_rlvect\_1 X0) \wedge ((v1\_bhsp\_1 \\ & X0) \wedge (v2\_bhsp\_1 X0) \wedge (l1\_bhsp\_1 X0)))))) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\neg (v1\_rlvect\_3 \\ & X1 X0) \wedge (\forall X2.(m1\_rusub\_3 X2 X0) \Rightarrow (\neg r1\_tarski X1 X2)))) \end{aligned}$$