

t13_sprect_3 (TMTB-
jqEKV7g1ZsfGceNgfEoZyeWDmAL6Mx3)

October 27, 2020

Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $v3_relat_1 : \iota \Rightarrow o$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $v2_goboard1 : \iota \Rightarrow o$ be given. Let $v3_goboard1 : \iota \Rightarrow o$ be given. Let $v4_goboard1 : \iota \Rightarrow o$ be given. Let $v5_goboard1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k15_euclid : \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $np_1 : \iota$ be given. Let $k1_matrix_1 : \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k17_euclid : \iota \Rightarrow \iota$ be given. Let $k3_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v6_membered : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.(m1_subset_1 \\ & X1 k5_numbers) \Rightarrow (\forall X2.(m1_subset_1 X2 k5_numbers) \Rightarrow (\forall X3. \\ & ((v1_matrix_1 X3) \wedge (m2_finseq_1 X3 (k3_finseq_2 (u1_struct_0 \\ & (k15_euclid np_2)))))) \Rightarrow (\neg(v5_goboard1 X3) \wedge ((r1_xxreal_0 np_1 \\ & X0) \wedge ((r1_xxreal_0 X0 (k1_matrix_1 X3)) \wedge (r1_xxreal_0 np_1 X1) \wedge \\ & ((\neg r1_xxreal_0 X2 X1) \wedge ((r1_xxreal_0 X2 (k3_finseq_1 X3)) \wedge (r1_xxreal_0 \\ & (k17_euclid (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) X3 \\ & X2 X0)) (k17_euclid (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) \\ & X3 X1 X0)))))))))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0.(v1_xxreal_0 X0) \Rightarrow (\forall X1.(v1_xxreal_0 X1) \Rightarrow ((r1_xxreal_0 X0 X1) \wedge (r1_xxreal_0 X1 X0)) \Rightarrow (X0 = X1)) \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Leftrightarrow(m1_finseq_1 X1 X0) \quad (4)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (5)$$

Assume the following.

$$\neg v1_finset_1 k4_ordinal1 \quad (6)$$

Assume the following.

$$v6_membered k4_ordinal1 \quad (7)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge \\ (m1_subset_1 X1 (k1_zfmisc_1 X0))))\Rightarrow(\forall X2.(m2_subset_1 \\ X2 X0 X1)\Rightarrow(m1_subset_1 X2 X0)) \end{aligned} \quad (9)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.\forall X3.(((v1_matrix_1 X1)\wedge \\ (m1_finseq_1 X1 (k3_finseq_2 X0)))\wedge((v7_ordinal1 X2)\wedge(v7_ordinal1 \\ X3)))\Rightarrow(m1_subset_1 (k3_matrix_1 X0 X1 X2 X3) X0) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 (u1_struct_0 (k15_euclid np_2)))\Rightarrow \\ (m1_subset_1 (k17_euclid X0) k1_numbers) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xxreal_0 X0)\wedge(v1_xxreal_0 X1))\Rightarrow(\\ (r1_xxreal_0 X0 X1)\vee(r1_xxreal_0 X1 X0)) \quad (13)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0)\Rightarrow(v1_xxreal_0 X0) \quad (14)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers)\Rightarrow(v1_xreal_0 X0) \quad (15)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (v1_finset_1 X0) \quad (16)$$

Assume the following.

$$\forall X0.(v6_membered X0) \Rightarrow (\forall X1.(m1_subset_1 X1 X0) \Rightarrow (v7_ordinal1 X1)) \quad (17)$$

Theorem 1

$$\begin{aligned} & \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (\forall X1. \\ & (m2_subset_1 X1 k1_numbers k5_numbers) \Rightarrow (\forall X2.(m2_subset_1 \\ & X2 k1_numbers k5_numbers) \Rightarrow (\forall X3.((\neg v3_relat_1 X3) \wedge ((v1_matrix_1 \\ & X3) \wedge ((v2_goboard1 X3) \wedge ((v3_goboard1 X3) \wedge ((v4_goboard1 X3) \wedge \\ & ((v5_goboard1 X3) \wedge (m2_finseq_1 X3 (k3_finseq_2 (u1_struct_0 \\ & (k15_euclid np_2)))))))))) \Rightarrow (((r1_xxreal_0 np_1 X0) \wedge ((r1_xxreal_0 \\ & X0 (k1_matrix_1 X3)) \wedge ((r1_xxreal_0 np_1 X1) \wedge ((r1_xxreal_0 X1 \\ & X2) \wedge (r1_xxreal_0 X2 (k3_finseq_1 X3)))))) \Rightarrow (r1_xxreal_0 (k17_euclid \\ & (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) X3 X1 X0)) (k17_euclid \\ & (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) X3 X2 X0)))))) \end{aligned}$$