

t13_vectsp10 (TMPHitY- WEde5PgQrJ9nUdVnusomQ71DTudG)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_vectsp_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_vectsp_7 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v7_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\
& ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\
& v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\
& X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge (l1_vectsp_1 \\
& X1 X0)))))))))) \Rightarrow (\forall X2. \forall X3. (m1_subset_1 X3 (u1_struct_0 \\
& X1)) \Rightarrow ((r1_struct_0 (k1_vectsp_7 X0 X1 (k6_domain_1 (u1_struct_0 \\
& X1) X3)) X2) \Leftrightarrow (\exists X4. (m1_subset_1 X4 (u1_struct_0 X0)) \wedge (X2 = \\
& k4_vectsp_1 X0 X1 X4 X3))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\
& X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\
& X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.((v7_vectsp_1 X2 X0) \wedge \\
& (m1_vectsp_4 X2 X0 X1)) \Rightarrow (\forall X3.((v7_vectsp_1 X3 X0) \wedge (m1_vectsp_4 \\
& X3 X0 X1)) \Rightarrow ((\forall X4.(m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow ((r1_struct_0 \\
& X2 X4) \Leftrightarrow (r1_struct_0 X3 X4))) \Rightarrow (X2 = X3))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\
& X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\
& X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge \\
& ((v13_algstr_0 X2) \wedge ((v8_vectsp_1 X2 X0) \wedge ((v9_vectsp_1 X2 X0) \wedge \\
& ((v10_vectsp_1 X2 X0) \wedge ((v11_vectsp_1 X2 X0) \wedge ((v2_rlvect_1 X2) \wedge \\
& ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge (l1_vectsp_1 X2 X0)))))))))) \Rightarrow \\
& (\forall X3.((\neg v2_struct_0 X3) \wedge ((v13_algstr_0 X3) \wedge ((v8_vectsp_1 \\
& X3 X0) \wedge ((v9_vectsp_1 X3 X0) \wedge ((v10_vectsp_1 X3 X0) \wedge ((v11_vectsp_1 \\
& X3 X0) \wedge ((v2_rlvect_1 X3) \wedge ((v3_rlvect_1 X3) \wedge ((v4_rlvect_1 X3) \wedge \\
& (l1_vectsp_1 X3 X0)))))))))) \Rightarrow (((m1_vectsp_4 X1 X0 X2) \wedge (m1_vectsp_4 \\
& X2 X0 X3)) \Rightarrow (m1_vectsp_4 X1 X0 X3))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\
& X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\
& X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X1)) \Rightarrow (\forall X4. \\
& (m1_vectsp_4 X4 X0 X1) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 \\
& X4)) \Rightarrow ((X5 = X3) \Rightarrow (k4_vectsp_1 X0 X4 X2 X5 = k4_vectsp_1 X0 X1 X2 X3))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge \\
& ((v3_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 \\
& X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \wedge \\
& ((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge (v10_vectsp_1 X1 X0) \wedge (v11_vectsp_1 X1 \\
& X0) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))) \Rightarrow (\forall X2. (m1_vectsp_4 X2 X0 \\
& X1) \Rightarrow ((\neg v2_struct_0 X2) \wedge (v13_algstr_0 X2) \wedge (v8_vectsp_1 X2 \\
& X0) \wedge (v9_vectsp_1 X2 X0) \wedge (v10_vectsp_1 X2 X0) \wedge (v11_vectsp_1 \\
& X2 X0) \wedge (v2_rlvect_1 X2) \wedge (v3_rlvect_1 X2) \wedge (v4_rlvect_1 X2) \wedge \\
& (l1_vectsp_1 X2 X0))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \tag{7}$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \tag{8}$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \tag{9}$$

Assume the following.

$$\forall X0. (l1_struct_0 X0) \Rightarrow (\forall X1. (l1_vectsp_1 X1 X0) \Rightarrow \\
(l2_algstr_0 X1)) \tag{10}$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow \\
(m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 \\
& X0) \wedge (v13_algstr_0 X0) \wedge (v33_algstr_0 X0) \wedge (v3_group_1 X0) \wedge \\
& ((v5_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 \\
& X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \wedge \\
& (((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge (v10_vectsp_1 X1 X0) \wedge (v11_vectsp_1 X1 \\
& X0) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 \\
& X1)))) \Rightarrow ((v7_vectsp_1 (k1_vectsp_7 X0 X1 X2) X0) \wedge (m1_vectsp_4 \\
& (k1_vectsp_7 X0 X1 X2) X0 X1))
\end{aligned} \tag{12}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ & X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ & ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\ & X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\ & v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\ & X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge (l1_vectsp_1 \\ & X1 X0)))))))))) \Rightarrow (\forall X2.(m1_vectsp_4 X2 X0 X1) \Rightarrow (\forall X3. \\ & (m1_subset_1 X3 (u1_struct_0 X1) \Rightarrow (\forall X4.(m1_subset_1 X4 \\ & (u1_struct_0 X2) \Rightarrow ((X3 = X4) \Rightarrow (k1_vectsp_7 X0 X2 (k6_domain_1 (\\ & u1_struct_0 X2) X4) = k1_vectsp_7 X0 X1 (k6_domain_1 (u1_struct_0 \\ & X1) X3))))))) \end{aligned}$$