

t14_aff_1

(TMN4xpRr26iWv4pR7fBREgtVxTU3fBqv7sj)

October 27, 2020

Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $v1_diraf : \iota \Rightarrow o$ be given. Let $l1_analoaf : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_aff_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow ((r1_aff_1 X0 X1 X1 X2) \wedge ((r1_aff_1 X0 X1 X2 \\ & X2) \wedge (r1_aff_1 X0 X1 X2 X1)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ & X0)) \Rightarrow ((r1_aff_1 X0 X1 X2 X3) \Rightarrow ((r1_aff_1 X0 X1 X3 X2) \wedge ((r1_aff_1 \\ & X0 X2 X1 X3) \wedge ((r1_aff_1 X0 X2 X3 X1) \wedge ((r1_aff_1 X0 X3 X1 X2) \wedge (r1_aff_1 \\ & X0 X3 X2 X1)))))))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\forall X5. \\ & (m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (((r1_aff_1 X0 X3 X4 X1) \wedge ((r1_aff_1 \\ & X0 X3 X4 X2) \wedge (r1_aff_1 X0 X1 X2 X5))) \Rightarrow ((X1 = X2) \vee (r1_aff_1 X0 X3 X4 \\ & X5)))))))))) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ & X0)) \Rightarrow ((r1_aff_1 X0 X1 X2 X3) \Leftrightarrow (r2_analoaf X0 X1 X2 X1 X3)))))) \end{aligned} \quad (4)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (((r1_aff_1 \\ & X0 X1 X3 X4) \wedge (r2_analoaf X0 X2 X3 X2 X4)) \Rightarrow ((r1_aff_1 X0 X1 X2 X3) \vee \\ & X3 = X4)))))) \end{aligned}$$