

t14_cat_2

(TMFd7g86iGAmWkxZVohW54YWDdTh3jPr3Xs)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v2_cat_1 : \iota \Rightarrow o$ be given. Let $v3_cat_1 : \iota \Rightarrow o$ be given. Let $v4_cat_1 : \iota \Rightarrow o$ be given. Let $v5_cat_1 : \iota \Rightarrow o$ be given. Let $v6_cat_1 : \iota \Rightarrow o$ be given. Let $l1_cat_1 : \iota \Rightarrow o$ be given. Let $m3_cat_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_cat_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_graph_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_graph_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_cat_1 : \iota \Rightarrow \iota$ be given. Let $m2_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k2_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
 & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
 & X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1. (m3_cat_2 X1 X0) \Rightarrow (\forall X2. \\
 & (m1_subset_1 X2 (u4_struct_0 X1)) \Rightarrow (\forall X3. (m1_subset_1 X3 \\
 & (u4_struct_0 X0)) \Rightarrow ((X2 = X3) \Rightarrow ((k3_graph_1 X1 X2 = k3_graph_1 X0 \\
 & X3) \wedge (k4_graph_1 X1 X2 = k4_graph_1 X0 X3))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
 & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
 & X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1. (m3_cat_2 X1 X0) \Rightarrow (\forall X2. \\
 & (m1_subset_1 X2 (u4_struct_0 X1)) \Rightarrow (m1_subset_1 X2 (u4_struct_0 \\
 & X0))))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ X0)) \Rightarrow (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) (k7_cat_1 \\ X0 X0 (k10_cat_1 X0)) X1 = X1)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\ \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\ X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\ (m2_cat_1 X2 X0 X1) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\ (k3_funct_2 (u4_struct_0 X0) (u4_struct_0 X1) X2 (k4_cat_1 X0 X3) = \\ k4_cat_1 X1 (k8_cat_1 X0 X1 X2 X3)))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\ \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\ X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\ (m2_cat_1 X2 X0 X1) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\ (k3_funct_2 (u4_struct_0 X0) (u4_struct_0 X1) X2 (k4_cat_1 X0 X3) = \\ k4_cat_1 X1 (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X1) (k7_cat_1 \\ X0 X1 X2) X3)))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\ \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\ X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\ (m2_cat_1 X2 X0 X1) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\ (\exists X4.(m1_subset_1 X4 (u1_struct_0 X1) \wedge (k3_funct_2 (u4_struct_0 \\ X0) (u4_struct_0 X1) X2 (k4_cat_1 X0 X3) = k4_cat_1 X1 X4)))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg (X0 \in X1) \wedge ((m1_subset_1 X1 (\\ k1_zfmisc_1 X2)) \wedge (v1_xboole_0 X2)) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ & X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (k4_cat_1 X0 X1 \in k2_cat_1 X0 X1 X1)) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0) \wedge \\ & (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0)) \Rightarrow (k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge \\ & ((v2_cat_1 X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge \\ & ((v6_cat_1 X0) \wedge (l1_cat_1 X0))))))) \wedge (m1_subset_1 X1 (u1_struct_0 \\ & X0))) \Rightarrow (k4_graph_1 X0 (k4_cat_1 X0 X1) = X1) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ & X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.(m3_cat_2 X1 X0) \Rightarrow ((\neg v2_struct_0 \\ & X1) \wedge ((\neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\ & X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge \\ & ((v2_cat_1 X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge \\ & ((v6_cat_1 X0) \wedge (l1_cat_1 X0))))))) \wedge ((\neg v2_struct_0 X1) \wedge ((\neg \\ & v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 X1) \wedge \\ & ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\ & (m2_cat_1 X2 X0 X1) \Rightarrow ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u4_struct_0 \\ & X0) (u4_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u4_struct_0 X0) (u4_struct_0 X1)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 \\ & X0) \wedge (l1_cat_1 X0))) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 \\ & X2 (u1_struct_0 X0)))) \Rightarrow (\forall X3.(m1_cat_1 X3 X0 X1 X2) \Rightarrow (m1_subset_1 \\ & X3 (u4_struct_0 X0))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\ & X0)\wedge((\neg v11_struct_0 X0)\wedge((v2_cat_1 X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 \\ & X0)\wedge((v5_cat_1 X0)\wedge((v6_cat_1 X0)\wedge(l1_cat_1 X0))))))))\wedge(((\\ & \neg v2_struct_0 X1)\wedge((\neg v11_struct_0 X1)\wedge((v2_cat_1 X1)\wedge((v3_cat_1 \\ & X1)\wedge((v4_cat_1 X1)\wedge((v5_cat_1 X1)\wedge((v6_cat_1 X1)\wedge(l1_cat_1 \\ & X1))))))))\wedge((m2_cat_1 X2 X0 X1)\wedge(m1_subset_1 X3 (u1_struct_0 \\ & X0))))\Rightarrow(m1_subset_1 (k8_cat_1 X0 X1 X2 X3) (u1_struct_0 X1)) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((\neg v11_struct_0 X0)\wedge \\ & ((v2_cat_1 X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 X0)\wedge((v5_cat_1 X0)\wedge \\ & ((v6_cat_1 X0)\wedge(l1_cat_1 X0))))))))\wedge(m3_cat_2 X1 X0))\Rightarrow(m2_cat_1 \\ & (k5_cat_2 X0 X1) X1 X0) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((\neg v11_struct_0 X0)\wedge \\ & ((v5_cat_1 X0)\wedge((v6_cat_1 X0)\wedge(l1_cat_1 X0)))))\wedge(m1_subset_1 \\ & X1 (u1_struct_0 X0)))\Rightarrow(m1_cat_1 (k4_cat_1 X0 X1) X0 X1 X1) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge((\neg v11_struct_0 \\ & X0)\wedge(l1_cat_1 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 \\ & X2 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k2_cat_1 X0 X1 X2) (k1_zfmisc_1 \\ & (u4_struct_0 X0))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0)\wedge((\neg v11_struct_0 X0)\wedge((v2_cat_1 \\ & X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 X0)\wedge((v5_cat_1 X0)\wedge((v6_cat_1 \\ & X0)\wedge(l1_cat_1 X0))))))))\Rightarrow(m2_cat_1 (k10_cat_1 X0) X0 X0) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0)\wedge((\neg v11_struct_0 X0)\wedge((v2_cat_1 \\ & X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 X0)\wedge((v5_cat_1 X0)\wedge((v6_cat_1 \\ & X0)\wedge(l1_cat_1 X0))))))))\Rightarrow(\forall X1.(m3_cat_2 X1 X0)\Rightarrow(k5_cat_2 \\ & X0 X1 = k10_cat_1 X1)) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\
& \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
& X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1))))))) \Rightarrow (\forall X2. \\
& (m2_cat_1 X2 X0 X1) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0) \Rightarrow \\
& (k8_cat_1 X0 X1 X2 X3 = k3_funct_2 (u1_struct_0 X0) (u1_struct_0 \\
& X1) (k7_cat_1 X0 X1 X2) X3)))
\end{aligned} \tag{20}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.(m3_cat_2 X1 X0) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X1) \Rightarrow (k3_funct_2 (u1_struct_0 X1) \\
& (u1_struct_0 X0) (k7_cat_1 X1 X0 (k5_cat_2 X0 X1) X2 = X2)))
\end{aligned}$$