

t14_ftacell1
(TMQwWE6i6YazjHgisBRGhidJVEanvgLSei1)

October 27, 2020

Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k7_ftacell1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_gfacirc1 : \iota$ be given. Let $k24_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_gfacirc1 : \iota$ be given. Let $k3_twoscomp : \iota$ be given. Let $k2_twoscomp : \iota$ be given. Let $k21_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k36_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_twoscomp : \iota$ be given. Let $k33_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k25_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k11_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k25_twoscomp : \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_msualg_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_circcomb : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k37_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k29_twoscomp : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $k6_margrel1 : \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v1_msualg_1 : \iota \Rightarrow o$ be given. Let $v1_circcomb : \iota \Rightarrow o$ be given. Let $v2_circcomb : \iota \Rightarrow o$ be given. Let $v3_circcomb : \iota \Rightarrow o$ be given. Let $k9_facirc_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (X0 \in u1_struct_0 (k25_gfacirc1 \\
& X0 X1 X2)) \wedge ((X1 \in u1_struct_0 (k25_gfacirc1 X0 X1 X2)) \wedge ((X2 \in u1_struct_0 \\
& (k25_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski (k10_finseq_1 X0 X1) k4_gfacirc1 \in \\
& u1_struct_0 (k25_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski (k10_finseq_1 \\
& (k4_tarski (k10_finseq_1 X0 X1) k4_gfacirc1) X2) k4_gfacirc1 \in \\
& u1_struct_0 (k25_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski (k10_finseq_1 \\
& X0 X1) k3_gfacirc1 \in u1_struct_0 (k25_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski \\
& (k10_finseq_1 X1 X2) k3_twoscomp \in u1_struct_0 (k25_gfacirc1 X0 \\
& X1 X2)) \wedge ((k4_tarski (k10_finseq_1 X2 X0) k2_twoscomp \in u1_struct_0 \\
& (k25_gfacirc1 X0 X1 X2)) \wedge (k4_tarski (k11_finseq_1 (k4_tarski \\
& (k10_finseq_1 X0 X1) k3_gfacirc1) (k4_tarski (k10_finseq_1 X1 \\
& X2) k3_twoscomp) (k4_tarski (k10_finseq_1 X2 X0) k2_twoscomp))) \\
& k25_twoscomp \in u1_struct_0 (k25_gfacirc1 X0 X1 X2)))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_msualg_1 X0)) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge (l1_msualg_1 X1)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow ((X2 \in u1_struct_0 (k2_circcomb X0 X1)) \wedge (\\ & X2 \in u1_struct_0 (k2_circcomb X1 X0)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.(X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(X0 \in u1_struct_0 (k37_gfacirc1 \\ & X0 X1 X2)) \wedge ((X1 \in u1_struct_0 (k37_gfacirc1 X0 X1 X2)) \wedge ((X2 \in u1_struct_0 \\ & (k37_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski (k10_finseq_1 X0 X1) k4_gfacirc1 \in \\ & u1_struct_0 (k37_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski (k10_finseq_1 \\ & (k4_tarski (k10_finseq_1 X0 X1) k4_gfacirc1) X2) k4_gfacirc1 \in \\ & u1_struct_0 (k37_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski (k10_finseq_1 \\ & X0 X1) k3_twoscomp \in u1_struct_0 (k37_gfacirc1 X0 X1 X2)) \wedge ((k4_tarski \\ & (k10_finseq_1 X1 X2) k3_gfacirc1 \in u1_struct_0 (k37_gfacirc1 X0 \\ & X1 X2)) \wedge ((k4_tarski (k10_finseq_1 X2 X0) k4_twoscomp \in u1_struct_0 \\ & (k37_gfacirc1 X0 X1 X2)) \wedge (k4_tarski (k11_finseq_1 (k4_tarski \\ & (k10_finseq_1 X0 X1) k3_twoscomp) (k4_tarski (k10_finseq_1 X1 \\ & X2) k3_gfacirc1) (k4_tarski (k10_finseq_1 X2 X0) k4_twoscomp)) \\ & k29_twoscomp \in u1_struct_0 (k37_gfacirc1 X0 X1 X2)))))))))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & (v1_funct_1 k4_gfacirc1) \wedge ((v1_funct_2 k4_gfacirc1 (k4_finseq_2 \\ & np_2 k6_margrel1) k6_margrel1) \wedge (m1_subset_1 k4_gfacirc1 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k4_finseq_2 np_2 k6_margrel1) k6_margrel1)))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(\neg v2_struct_0 (k37_gfacirc1 \\ & X0 X1 X2)) \wedge ((\neg v11_struct_0 (k37_gfacirc1 X0 X1 X2)) \wedge ((v1_msualg_1 \\ & (k37_gfacirc1 X0 X1 X2)) \wedge ((v1_circcomb (k37_gfacirc1 X0 X1 X2)) \wedge \\ & ((v2_circcomb (k37_gfacirc1 X0 X1 X2)) \wedge ((v3_circcomb (k37_gfacirc1 \\ & X0 X1 X2)) \wedge (l1_msualg_1 (k37_gfacirc1 X0 X1 X2))))))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(\neg v2_struct_0 (k25_gfacirc1 \\ & X0 X1 X2)) \wedge ((\neg v11_struct_0 (k25_gfacirc1 X0 X1 X2)) \wedge ((v1_msualg_1 \\ & (k25_gfacirc1 X0 X1 X2)) \wedge ((v1_circcomb (k25_gfacirc1 X0 X1 X2)) \wedge \\ & ((v2_circcomb (k25_gfacirc1 X0 X1 X2)) \wedge ((v3_circcomb (k25_gfacirc1 \\ & X0 X1 X2)) \wedge (l1_msualg_1 (k25_gfacirc1 X0 X1 X2))))))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.k7_ftacell1 \\ X0\ X1\ X2\ X3\ X4 = & k2_circcomb (k25_gfacirc1\ X0\ X1\ X2) (k37_gfacirc1 \\ & (k24_gfacirc1\ X0\ X1\ X2)\ X4\ X3) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.k36_gfacirc1\ X0\ X1\ X2 = & k9_facirc1 \\ & X0\ X1\ X2\ k4_gfacirc1 \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.k33_gfacirc1\ X0\ X1\ X2 = k4_tarski \\ (k11_finseq_1\ (k4_tarski\ (k10_finseq_1\ X0\ X1)\ k3_twoscomp)\ (k4_tarski \\ & (k10_finseq_1\ X1\ X2)\ k3_gfacirc1)\ (k4_tarski\ (k10_finseq_1\ X2 \\ & X0)\ k4_twoscomp))\ k29_twoscomp \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.k24_gfacirc1\ X0\ X1\ X2 = & k9_facirc1 \\ & X0\ X1\ X2\ k4_gfacirc1 \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.k21_gfacirc1\ X0\ X1\ X2 = k4_tarski \\ (k11_finseq_1\ (k4_tarski\ (k10_finseq_1\ X0\ X1)\ k3_gfacirc1)\ (k4_tarski \\ & (k10_finseq_1\ X1\ X2)\ k3_twoscomp)\ (k4_tarski\ (k10_finseq_1\ X2 \\ & X0)\ k2_twoscomp))\ k25_twoscomp \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((v1_funct_1\ X3)\wedge \\ & ((v1_funct_2\ X3\ (k4_finseq_2\ np_2\ k6_margrel1)\ k6_margrel1)\wedge \\ & (m1_subset_1\ X3\ (k1_zfmisc_1\ (k2_zfmisc_1\ (k4_finseq_2\ np_2 \\ & k6_margrel1)\ k6_margrel1))))\Rightarrow(k9_facirc1\ X0\ X1\ X2\ X3 = k4_tarski \\ & (k10_finseq_1\ (k4_tarski\ (k10_finseq_1\ X0\ X1)\ X3)\ X2)\ X3) \end{aligned} \quad (13)$$

Theorem 1

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. (X0 \in u1_struct_0 \\
& (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((X1 \in u1_struct_0 (k7_ftacell1 X0 \\
& X1 X2 X3 X4)) \wedge ((X2 \in u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((X3 \in \\
& u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((X4 \in u1_struct_0 (k7_ftacell1 \\
& X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 X0 X1) k4_gfacirc1 \in u1_struct_0 \\
& (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k24_gfacirc1 X0 X1 X2 \in u1_struct_0 \\
& (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 X0 X1) k3_gfacirc1 \in \\
& u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 \\
& X1 X2) k3_twoscomp \in u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((\\
& k4_tarski (k10_finseq_1 X2 X0) k2_twoscomp \in u1_struct_0 (k7_ftacell1 \\
& X0 X1 X2 X3 X4)) \wedge ((k21_gfacirc1 X0 X1 X2 \in u1_struct_0 (k7_ftacell1 \\
& X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 (k24_gfacirc1 X0 X1 X2) \\
& X4) k4_gfacirc1 \in u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k36_gfacirc1 \\
& (k24_gfacirc1 X0 X1 X2) X4 X3 \in u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 \\
& X4)) \wedge ((k4_tarski (k10_finseq_1 (k24_gfacirc1 X0 X1 X2) X4) k3_twoscomp \in \\
& u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((k4_tarski (k10_finseq_1 \\
& X4 X3) k3_gfacirc1 \in u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge ((\\
& k4_tarski (k10_finseq_1 X3 (k24_gfacirc1 X0 X1 X2)) k4_twoscomp \in \\
& u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 X4)) \wedge (k33_gfacirc1 (k24_gfacirc1 \\
& X0 X1 X2) X4 X3 \in u1_struct_0 (k7_ftacell1 X0 X1 X2 X3 X4)))))))))))))
\end{aligned}$$