

t14_osalg_2
(TMGCD3sY6ami49EjTKomjANxoTnSpNRK3xC)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v2_msualg_2 : \iota \Rightarrow o$ be given. Let $v4_osalg_1 : \iota \Rightarrow o$ be given. Let $v5_osalg_1 : \iota \Rightarrow o$ be given. Let $l3_osalg_1 : \iota \Rightarrow o$ be given. Let $v4_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v12_osalg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l3_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_msualg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_relat_1 : \iota \Rightarrow o$ be given. Let $k3_osalg_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m2_osalg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $u3_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_osalg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_msualg_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_msualg_1 : \iota \Rightarrow o$ be given. Let $m3_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_osalg_1 : \iota \Rightarrow o$ be given. Let $l2_osalg_1 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v4_osalg_1 \\ & X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))))) \Rightarrow (\forall X1.(l3_msualg_1 \\ & X1 X0) \Rightarrow ((v12_osalg_1 X1 X0) \Leftrightarrow ((v1_relat_1 (u3_msualg_1 X0 X1)) \wedge \\ & ((v4_relat_1 (u3_msualg_1 X0 X1) (u1_struct_0 X0)) \wedge ((v1_funct_1 \\ & (u3_msualg_1 X0 X1)) \wedge ((v1_partfun1 (u3_msualg_1 X0 X1) (u1_struct_0 \\ & X0)) \wedge (v11_osalg_1 (u3_msualg_1 X0 X1) X0))))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v4_osalg_1 \\ & X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))))) \Rightarrow (\forall X1.((v12_osalg_1 \\ & X1 X0) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (\forall X2.((v12_osalg_1 X2 X0) \wedge \\ & (m1_msualg_2 X2 X0 X1)) \Rightarrow (m2_osalg_2 (k3_osalg_2 X0 X1) X0 X2))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\ & (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\ & (((v2_relat_1 X1) \wedge (r2_pboole X0 X1 X2)) \Rightarrow (v2_relat_1 X2))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v4_osalg_1 \\ X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))))) \Rightarrow (\forall X1.((v12_osalg_1 \\ X1 X0) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (r2_pboole (u1_struct_0 X0) (k2_msualg_2 \\ X0 X1) (k3_osalg_2 X0 X1))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge \\ ((v2_msualg_2 X0) \wedge (l1_msualg_1 X0)))) \wedge ((v4_msualg_1 X1 X0) \wedge \\ (l3_msualg_1 X1 X0))) \Rightarrow (v2_relat_1 (k2_msualg_2 X0 X1)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge (\\ (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \Rightarrow (\forall X2. (m3_pboole \\ X2 X0 X1) \Rightarrow ((v1_relat_1 X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge \\ (v1_partfun1 X2 X0)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge \\ ((v4_osalg_1 X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))))) \wedge ((v12_osalg_1 \\ X1 X0) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (\forall X2. (m2_osalg_2 X2 X0 X1) \Rightarrow \\ (m3_pboole X2 (u1_struct_0 X0) (u3_msualg_1 X0 X1))) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0. (l3_osalg_1 X0) \Rightarrow ((l1_osalg_1 X0) \wedge (l2_osalg_1 X0)) \quad (8)$$

Assume the following.

$$\forall X0. (l2_osalg_1 X0) \Rightarrow ((l1_msualg_1 X0) \wedge (l1_orders_2 X0)) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge \\ ((v4_osalg_1 X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))))) \wedge ((v12_osalg_1 \\ X1 X0) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (m2_osalg_2 (k3_osalg_2 X0 X1) X0 \\ X1) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge \\ (l1_msualg_1 X0))) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (m3_pboole (k2_msualg_2 \\ X0 X1) (u1_struct_0 X0) (u3_msualg_1 X0 X1)) \end{aligned} \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_msualg_2 \\ & X0) \wedge ((v4_osalg_1 X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))))) \Rightarrow \\ & (\forall X1.((v4_msualg_1 X1 X0) \wedge ((v12_osalg_1 X1 X0) \wedge (l3_msualg_1 \\ & X1 X0)))) \Rightarrow (\forall X2.((v4_msualg_1 X2 X0) \wedge ((v12_osalg_1 X2 X0) \wedge \\ & (m1_msualg_2 X2 X0 X1))) \Rightarrow ((v2_relat_1 (k3_osalg_2 X0 X1)) \wedge (m2_osalg_2 \\ & (k3_osalg_2 X0 X1) X0 X2)))) \end{aligned}$$