

t14_polynom8

(TMJ5bGDqZYZ3jEJnF6azM3aJ47iswDAhEut)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_polynom8 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $v1_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $k2_binom : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k1_group_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $np_0 : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l3_struct_0 : \iota \Rightarrow o$ be given. Let $v1_int_1 : \iota \Rightarrow o$ be given. Let $k1_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_group_1 : \iota \Rightarrow \iota$ be given. Let $k11_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_int_2 : \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v1_group_1 X0) \wedge (l3_algstr_0 \\ & X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow ((k2_binom \\ & X0 X1 k6_numbers = k1_group_1 X0) \wedge (k2_binom X0 X1 np_1 = X1))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. (v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (2)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (3)$$

Assume the following.

$$v1_xboole_0 np_0 \quad (4)$$

Assume the following.

$$r1_xxreal_0 \text{ } np_0 \text{ } np_1 \quad (5)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l5_algstr_0 X0) \Rightarrow ((l4_algstr_0 X0) \wedge (l4_struct_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l4_algstr_0 X0) \Rightarrow ((l3_struct_0 X0) \wedge (l3_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 \\ & X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (\\ & l6_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(v1_int_1 X2) \Rightarrow (((r1_xxreal_0 k6_numbers X2) \Rightarrow \\ & (k3_polynom8 X0 X1 X2 = k1_binop_1 (k4_group_1 X0) X1 X2)) \wedge ((\neg r1_xxreal_0 \\ & k6_numbers X2) \Rightarrow (k3_polynom8 X0 X1 X2 = k11_algstr_0 X0 (k2_binop_1 \\ & (u1_struct_0 X0) k5_numbers (u1_struct_0 X0) (k4_group_1 X0) X1 \\ & (k1_int_2 X2))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v1_group_1 X0) \wedge (l3_algstr_0 \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (v7_ordinal1 X2) \Rightarrow (k2_binom X0 X1 X2 = k1_binop_1 (k4_group_1 X0) \\ & X1 X2))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (13)$$

Assume the following.

$$\forall X0.(l4_algstr_0 X0) \Rightarrow (((\neg v2_struct_0 X0) \wedge (v4_vectsp_1 X0)) \Rightarrow ((\neg v2_struct_0 X0) \wedge (v1_group_1 X0))) \quad (14)$$

Assume the following.

$$\forall X0.(v7_ordinal1 X0) \Rightarrow (v1_int_1 X0) \quad (15)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge (v33_algstr_0 X0) \wedge (v3_group_1 X0) \wedge (v5_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k3_polynom8 X0 X1 np_1 = X1))$$