

t14_qc_lang2
(TMQg3g91xbBRgmBKavwY77ULRc5grQitwtb)

October 27, 2020

Let $m1_qc_lang1 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_qc_lang1 : \iota \Rightarrow \iota$ be given. Let $k3_qc_lang1 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_qc_lang1 : \iota \Rightarrow \iota$ be given. Let $k6_qc_lang2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k15_qc_lang1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_qc_lang2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_qc_lang2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0.(m1_qc_lang1 X0) \Rightarrow (\forall X1.(m2_subset_1 X1 (k2_qc_lang1 \\ X0) (k3_qc_lang1 X0)) \Rightarrow (\forall X2.(m2_subset_1 X2 (k2_qc_lang1 \\ X0) (k3_qc_lang1 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (k9_qc_lang1 \\ X0)) \Rightarrow (k7_qc_lang2 X0 X1 X2 X3 = k5_qc_lang2 X0 X1 (k5_qc_lang2 X0 \\ X2 X3)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} \forall X0.(m1_qc_lang1 X0) \Rightarrow (\forall X1.(m2_subset_1 X1 (k2_qc_lang1 \\ X0) (k3_qc_lang1 X0)) \Rightarrow (\forall X2.(m2_subset_1 X2 (k2_qc_lang1 \\ X0) (k3_qc_lang1 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (k9_qc_lang1 \\ X0)) \Rightarrow (k6_qc_lang2 X0 X1 X2 X3 = k15_qc_lang1 X0 X1 (k15_qc_lang1 \\ X0 X2 X3)))))) \end{aligned} \tag{2}$$

Theorem 1

$$\begin{aligned} \forall X0.(m1_qc_lang1 X0) \Rightarrow (\forall X1.(m2_subset_1 X1 (k2_qc_lang1 \\ X0) (k3_qc_lang1 X0)) \Rightarrow (\forall X2.(m2_subset_1 X2 (k2_qc_lang1 \\ X0) (k3_qc_lang1 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (k9_qc_lang1 \\ X0)) \Rightarrow ((k6_qc_lang2 X0 X1 X2 X3 = k15_qc_lang1 X0 X1 (k15_qc_lang1 \\ X0 X2 X3)) \wedge (k7_qc_lang2 X0 X1 X2 X3 = k5_qc_lang2 X0 X1 (k5_qc_lang2 \\ X0 X2 X3)))))) \end{aligned}$$