

t14_rlvect_5 (TMVfqGSuLfx- iFQVxEdeQ125V2epXQcoEiWm)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_rlsub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_rlvect_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_rlvect_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $m2_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k1_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_rlvect_1 : \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k1_xbool_0 : \iota$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1_tarski X0 X1) \wedge (r1_tarski X1 X2)) \Rightarrow (r1_tarski X0 X2) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))) \Rightarrow (\forall X1. (m1_rlsub_1 X1 X0) \Rightarrow (\forall X2. (m1_rlvect_2 X2 X0) \Rightarrow (\neg (r1_tarski (k3_rlvect_2 X0 X2) (u1_struct_0 X1)) \wedge (\forall X3. (m1_rlvect_2 X3 X1) \Rightarrow (\neg (k3_rlvect_2 X1 X3 = k3_rlvect_2 X0 X2) \wedge (k6_rlvect_2 X1 X3 = k6_rlvect_2 X0 X2)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (k4_struct_0 X1 = \\ k4_struct_0 X0)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \wedge \\ (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2. \\ (m2_rlvect_2 X2 X0 X1) \Rightarrow (m1_rlvect_2 X2 X0)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow ((\neg v2_struct_0 \\ X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge \\ ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 \\ X1) \wedge ((v8_rlvect_1 X1) \wedge (l1_rlvect_1 X1))))))))))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\ (m1_rlvect_2 X2 X0) \Rightarrow ((m2_rlvect_2 X2 X0 X1) \Leftrightarrow (r1_tarski (k3_rlvect_2 \\ X0 X2) X1)))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 \\ X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\ ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 \\ X1) \wedge (l1_rlvect_1 X1)))))))))) \Rightarrow ((m1_rlsub_1 X1 X0) \Leftrightarrow ((r1_tarski \\ (u1_struct_0 X1) (u1_struct_0 X0)) \wedge ((k4_struct_0 X1 = k4_struct_0 \\ X0) \wedge ((u1_algstr_0 X1 = k1_realset1 (u1_algstr_0 X0) (u1_struct_0 \\ X1)) \wedge (u1_rlvect_1 X1 = k5_relat_1 (u1_rlvect_1 X0) (k2_zfmisc_1 \\ k1_numbers (u1_struct_0 X1))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\
& X0))) \Rightarrow ((v1_rlvect_3 X1 X0) \Leftrightarrow (\forall X2.(m2_rlvect_2 X2 X0 X1) \Rightarrow \\
& ((k6_rlvect_2 X0 X2 = k4_struct_0 X0) \Rightarrow (k3_rlvect_2 X0 X2 = k1_xboole_0))))))
\end{aligned} \tag{10}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_rlsub_1 X1 X0) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow ((v1_rlvect_3 X2 X1) \Rightarrow ((v1_rlvect_3 \\
& X2 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))))))
\end{aligned}$$