

t14_rmod_4 (TMLUXU- KmJ1Tfo4GMVDcb4DFoZoVJp1GMSAk)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v4_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_rmod_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. k3_xboole_0 X0 (k2_xboole_0 X0 X1) = X0 \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. k3_xboole_0 (k3_xboole_0 X0 X1) X2 = k3_xboole_0 X0 (k3_xboole_0 X1 X2) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\ & (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge (l1_vectsp_2 X1 X0)))))))) \Rightarrow (\forall X2. ((v1_finset_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X1)))) \Rightarrow (\forall X3. ((v1_finset_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X1)))) \Rightarrow (k1_rmod_4 X0 X1 (k7_subset_1 (u1_struct_0 X1) X2 X3) = k5_algstr_0 X1 (k1_rmod_4 X0 X1 X2) (k1_rmod_4 X0 X1 (k9_subset_1 (u1_struct_0 X1) X2 X3)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.k5_xboole_0 X0 X1 = k4_xboole_0 (k2_xboole_0 X0 X1) (k3_xboole_0 X0 X1) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (k7_subset_1 X0 X1 X2 = k4_xboole_0 X1 X2) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k1_zfmisc_1 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 X0))) \Rightarrow (k5_subset_1 X0 X1 X2 = k5_xboole_0 X1 X2) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k1_zfmisc_1 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 X0))) \Rightarrow (k4_subset_1 X0 X1 X2 = k2_xboole_0 X1 X2) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((v1_finset_1 X0) \wedge (v1_finset_1 X1)) \Rightarrow (v1_finset_1 (k2_xboole_0 X0 X1)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(v1_finset_1 X0) \Rightarrow (v1_finset_1 (k3_xboole_0 X0 X1)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (m1_subset_1 (k9_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k1_zfmisc_1 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 X0))) \Rightarrow (m1_subset_1 (k4_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \quad (13)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\ & (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\ & X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\ & (l1_vectsp_2 X1 X0)))))))))) \Rightarrow (\forall X2.((v1_finset_1 X2) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (u1_struct_0 X1)))))) \Rightarrow (\forall X3.((v1_finset_1 \\ & X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X1)))))) \Rightarrow (k1_rmod_4 \\ & X0 X1 (k5_subset_1 (u1_struct_0 X1) X2 X3) = k5_algstr_0 X1 (k1_rmod_4 \\ & X0 X1 (k4_subset_1 (u1_struct_0 X1) X2 X3)) (k1_rmod_4 X0 X1 (k9_subset_1 \\ & (u1_struct_0 X1) X2 X3)))))) \end{aligned}$$