

t14_rsspace4 (TM- SYBU947RNRriV4TMsTpT2TmGkBTU6Kopv)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_rsspace4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_seq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_rsspace4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_seq_4 : \iota \Rightarrow \iota$ be given. Let $k7_rsspace4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_rsspace4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k5_lopban_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_rsspace4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v2_struct_0 X1) \wedge \\ & ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\ & X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\ & ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 \\ & X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow ((v1_funct_1 (k8_rsspace4 \\ & X0 X1)) \wedge ((v1_funct_2 (k8_rsspace4 X0 X1) (k4_rsspace4 X0 X1) k1_numbers) \wedge \\ & (m1_subset_1 (k8_rsspace4 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 (k4_rsspace4 \\ & X0 X1) k1_numbers)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v2_struct_0 X1) \wedge \\ & ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\ & X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\ & ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 \\ & X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow (m1_subset_1 (k4_rsspace4 \\ & X0 X1) (k1_zfmisc_1 (u1_struct_0 (k5_lopban_1 X0 X1)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
& ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\
& X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\
& ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 \\
& X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow (\forall X2.((v1_funct_1 \\
& X2) \wedge ((v1_funct_2 X2 (k4_rssize4 X0 X1) k1_numbers) \wedge (m1_subset_1 \\
& X2 (k1_zfmisc_1 (k2_zfmisc_1 (k4_rssize4 X0 X1) k1_numbers)))))) \Rightarrow \\
& ((X2 = k8_rssize4 X0 X1) \Leftrightarrow (\forall X3.(X3 \in k4_rssize4 X0 X1) \Rightarrow (\\
& k1_seq_1 X2 X3 = k4_seq_4 (k7_rssize4 X0 X1 (k6_rssize4 X0 X1 X3))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
& ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\
& X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\
& ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 \\
& X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow (\forall X2.(X2 \in k4_rssize4 \\
& X0 X1) \Rightarrow (k6_rssize4 X0 X1 X2 = X2))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
& ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\
& X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\
& ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 \\
& X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 (k1_zfmisc_1 (u1_struct_0 (k5_lopban_1 X0 X1)))) \Rightarrow ((X2 = k4_rssize4 \\
& X0 X1) \Leftrightarrow (\forall X3.(X3 \in X2) \Leftrightarrow ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 \\
& X0 (u1_struct_0 X1)) \wedge ((v1_rssize4 X3 X0 X1) \wedge (m1_subset_1 X3 (\\
& k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1))))))))))
\end{aligned} \tag{5}$$

Theorem 1

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
& ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\
& X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\
& ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 \\
& X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow (\forall X2.((v1_funct_1 \\
& X2) \wedge ((v1_funct_2 X2 X0 (u1_struct_0 X1)) \wedge ((v1_rssize4 X2 X0 X1) \wedge \\
& (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow \\
& (k1_seq_1 (k8_rssize4 X0 X1) X2 = k4_seq_4 (k7_rssize4 X0 X1 X2)))
\end{aligned}$$