

t14\_vectsp\_5 (TMRx-  
PoC4MRzG32267URq5EmmFqjYicmYx2v)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v8\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v9\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v10\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v11\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_vectsp\_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_vectsp\_5 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v7\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. k3\_xboole\_0 (k3\_xboole\_0 X0 X1) X2 = k3\_xboole\_0 X0 (k3\_xboole\_0 X1 X2) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. (((\neg v2\_struct\_0 \\ & X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge \\ & ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 \\ & X0) \wedge (l6\_algstr\_0 X0)))))))))) \wedge (((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 \\ & X1) \wedge ((v8\_vectsp\_1 X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 \\ & X1 X0) \wedge ((v11\_vectsp\_1 X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 \\ & X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l1\_vectsp\_1 X1 X0)))))))))) \wedge ((m1\_vectsp\_4 \\ & X2 X0 X1) \wedge (m1\_vectsp\_4 X3 X0 X1))) \Rightarrow ((v7\_vectsp\_1 (k2\_vectsp\_5 \\ & X0 X1 X2 X3) X0) \wedge (m1\_vectsp\_4 (k2\_vectsp\_5 X0 X1 X2 X3) X0 X1)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1\_vectsp\_4 X3 X0 X1) \Rightarrow (\forall X4.((v7\_vectsp\_1 \\
& X4 X0) \wedge (m1\_vectsp\_4 X4 X0 X1)) \Rightarrow ((X4 = k2\_vectsp\_5 X0 X1 X2 X3) \Leftrightarrow (u1\_struct\_0 \\
& X4 = k3\_xboole\_0 (u1\_struct\_0 X2) (u1\_struct\_0 X3))))))
\end{aligned} \tag{3}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3.(m1\_vectsp\_4 X3 X0 X1) \Rightarrow (\forall X4.(m1\_vectsp\_4 X4 \\
& X0 X1) \Rightarrow (k2\_vectsp\_5 X0 X1 X2 (k2\_vectsp\_5 X0 X1 X3 X4) = k2\_vectsp\_5 \\
& X0 X1 (k2\_vectsp\_5 X0 X1 X2 X3) X4))))
\end{aligned}$$