

t15_finsop_1 (TMPycHN- pvBecfhYqBDE9TMZS4wdWJUuxN3k)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_binop_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_finsop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_finseq_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_finseq_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow \\ & (\forall X2. (m1_subset_1 X2 X0) \Rightarrow (\forall X3. (m1_subset_1 X3 X0) \Rightarrow \\ & (\forall X4. ((v1_funct_1 X4) \wedge ((v1_funct_2 X4 (k2_zfmisc_1 X0 \\ & X0) X0) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\ & X0 X0) X0)))))) \Rightarrow (k1_finsop_1 X0 (k3_finseq_4 X0 X1 X2 X3) X4 = k5_binop_1 \\ & X0 X4 (k5_binop_1 X0 X4 X1 X2) X3)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow \\ & (\forall X2. (m1_subset_1 X2 X0) \Rightarrow (\forall X3. ((v1_funct_1 X3) \wedge \\ & ((v1_funct_2 X3 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))))) \Rightarrow ((v1_binop_1 X3 X0) \Rightarrow \\ & (k1_finsop_1 X0 (k2_finseq_4 X0 X1 X2) X3 = k1_finsop_1 X0 (k2_finseq_4 \\ & X0 X2 X1) X3)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow \\ & (\forall X2. (m1_subset_1 X2 X0) \Rightarrow (\forall X3. ((v1_funct_1 X3) \wedge \\ & ((v1_funct_2 X3 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))))) \Rightarrow (k1_finsop_1 X0 (k2_finseq_4 \\ & X0 X1 X2) X3 = k5_binop_1 X0 X3 X1 X2)))))) \end{aligned} \tag{3}$$

Theorem 1

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 X0) \Rightarrow \\ & (\forall X2.(m1_subset_1 X2 X0) \Rightarrow (\forall X3.(m1_subset_1 X3 X0) \Rightarrow \\ & (\forall X4.((v1_funct_1 X4) \wedge ((v1_funct_2 X4 (k2_zfmisc_1 X0 \\ & X0) X0) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 \\ & X0 X0) X0)))))) \Rightarrow ((v1_binop_1 X4 X0) \Rightarrow (k1_finsop_1 X0 (k3_finseq_4 \\ & X0 X1 X2 X3) X4 = k1_finsop_1 X0 (k3_finseq_4 X0 X2 X1 X3) X4)))))) \end{aligned}$$