

t15_fintopo3

(TMUTVoYT7CsiGn9kBjvuMup3XFMfbiEY1Zq)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_fintopo3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k9_fin_topo : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $np_0 : \iota$ be given. Let $k2_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $k2_fintopo3 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (X0 = k1_xboole_0) \quad (1)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (2)$$

Assume the following.

$$(m2_subset_1 np_0 k1_numbers k5_numbers) \wedge ((m1_subset_1 np_0 k5_numbers) \wedge (m1_subset_1 np_0 k1_numbers)) \quad (3)$$

Assume the following.

$$v1_xboole_0 np_0 \quad (4)$$

Assume the following.

$$k2_xcmplx_0 np_1 np_0 = np_1 \quad (5)$$

Assume the following.

$$k6_numbers = k1_xboole_0 \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(v7_ordinal1 \\ & X1))\Rightarrow(k2_nat_1 X0 X1 = k2_xcmplx_0 X0 X1) \end{aligned} \quad (9)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1)\wedge(v3_ordinal1 k4_ordinal1) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow((v1_funct_1 \\ & (k2_fintopo3 X0 X1))\wedge((v1_funct_2 (k2_fintopo3 X0 X1) k5_numbers \\ & (k1_zfmisc_1 (u1_struct_0 X0))\wedge(m1_subset_1 (k2_fintopo3 X0 \\ & X1) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (k1_zfmisc_1 (u1_struct_0 \\ & X0))))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow(\forall X2. \\ & (v7_ordinal1 X2)\Rightarrow(k3_fintopo3 X0 X1 X2 = k1_funct_1 (k2_fintopo3 \\ & X0 X1) X2))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow(\forall X2. \\ & ((v1_funct_1 X2)\wedge((v1_funct_2 X2 k5_numbers (k1_zfmisc_1 (u1_struct_0 \\ & X0))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (\\ & k1_zfmisc_1 (u1_struct_0 X0)))))))\Rightarrow((X2 = k2_fintopo3 X0 X1)\Leftrightarrow \\ & ((\forall X3.(m1_subset_1 X3 k5_numbers)\Rightarrow(\forall X4.(m1_subset_1 \\ & X4 (k1_zfmisc_1 (u1_struct_0 X0))\Rightarrow((X4 = k3_funct_2 k5_numbers \\ & (k1_zfmisc_1 (u1_struct_0 X0)) X2 X3)\Rightarrow(k3_funct_2 k5_numbers \\ & (k1_zfmisc_1 (u1_struct_0 X0)) X2 (k2_nat_1 X3 np_1) = k9_fin_topo \\ & X0 X4))))\wedge(k3_funct_2 k5_numbers (k1_zfmisc_1 (u1_struct_0 X0)) \\ & X2 k6_numbers = X1)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(v7_ordinal1 X1))\Rightarrow(k2_nat_1 X0 X1 = k2_nat_1 X1 X0) \quad (14)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (15)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(v7_ordinal1 X0) \quad (16)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_orders_2 X0))\Rightarrow(\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow(k3_fintopo3 X0 X1 np_1 = k9_fin_topo X0 X1))$$