

t15_grcat_1

(TMQWPx43enJ7whRfBVRWDSDrqmgFqFuUAnY)

October 27, 2020

Let $v1_grcat_1 : \iota \Rightarrow o$ be given. Let $v2_grcat_1 : \iota \Rightarrow o$ be given. Let $l1_grcat_1 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_grcat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $g1_grcat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v13_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_grcat_1 : \iota \Rightarrow \iota$ be given. Let $u2_grcat_1 : \iota \Rightarrow \iota$ be given. Let $u3_grcat_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0.((v2_grcat_1 X0) \wedge (l1_grcat_1 X0)) \Rightarrow (\exists X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l2_algstr_0 X1)))))) \wedge (\exists X2.((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge (l2_algstr_0 X2)))))) \wedge (m1_grcat_1 X0 X1 X2))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l2_algstr_0 X1)))))) \Rightarrow (\forall X2.(m1_grcat_1 X2 X0 X1) \Rightarrow (\exists X3.((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \wedge ((g1_grcat_1 (u1_grcat_1 X2) (u2_grcat_1 X2) (u3_grcat_1 X2) = g1_grcat_1 X0 X1 X3) \wedge (v13_vectsp_1 X3 X0 X1)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.(l1_grcat_1 X0) \Rightarrow ((v1_grcat_1 X0) \Rightarrow (X0 = g1_grcat_1 (u1_grcat_1 X0) (u2_grcat_1 X0) (u3_grcat_1 X0))) \tag{3}$$

Theorem 1

$$\begin{aligned} & \forall X0.((v1_grcat_1 X0) \wedge ((v2_grcat_1 X0) \wedge (l1_grcat_1 X0))) \Rightarrow \\ & (\exists X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v3_rlvect_1 \\ & X1) \wedge ((v4_rlvect_1 X1) \wedge (l2_algstr_0 X1))))) \wedge (\exists X2.((\neg \\ & v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 \\ & X2) \wedge (l2_algstr_0 X2))))) \wedge (\exists X3.((v1_funct_1 X3) \wedge ((v1_funct_2 \\ & X3 (u1_struct_0 X1) (u1_struct_0 X2)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2))))) \wedge ((m1_grcat_1 \\ & X0 X1 X2) \wedge ((X0 = g1_grcat_1 X1 X2 X3) \wedge (v13_vectsp_1 X3 X1 X2))))) \end{aligned}$$