

t15_jordan24 (TMFNSJBVN-
vfwG68fh7nbmeRcDpYarEsVrTE)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_tops_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r3_connsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_tops_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_struct_0 : \iota \Rightarrow \iota$ be given. Let $v2_funct_1 : \iota \Rightarrow o$ be given. Let $k8_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.(l1_pre_topc\ X0) \Rightarrow (\forall X1.((\neg v2_struct_0\ X1) \wedge \\
 & (l1_pre_topc\ X1)) \Rightarrow (\forall X2.((v1_funct_1\ X2) \wedge ((v1_funct_2 \\
 & X2\ (u1_struct_0\ X0)\ (u1_struct_0\ X1)) \wedge (m1_subset_1\ X2\ (k1_zfmisc_1 \\
 & (k2_zfmisc_1\ (u1_struct_0\ X0)\ (u1_struct_0\ X1)))))) \Rightarrow ((v3_tops_2 \\
 & X2\ X0\ X1) \Rightarrow (v3_tops_2\ (k2_tops_2\ (u1_struct_0\ X0)\ (u1_struct_0 \\
 & X1)\ X2)\ X1\ X0))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0.(l1_struct_0\ X0) \Rightarrow (\forall X1.(l1_struct_0\ X1) \Rightarrow (\forall X2. \\
 & ((v1_funct_1\ X2) \wedge ((v1_funct_2\ X2\ (u1_struct_0\ X0)\ (u1_struct_0 \\
 & X1)) \wedge (m1_subset_1\ X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ (u1_struct_0 \\
 & X0)\ (u1_struct_0\ X1)))))) \Rightarrow (\forall X3.(m1_subset_1\ X3\ (k1_zfmisc_1 \\
 & (u1_struct_0\ X0))) \Rightarrow (((k2_relset_1\ (u1_struct_0\ X1)\ X2 = k2_struct_0 \\
 & X1) \wedge (v2_funct_1\ X2)) \Rightarrow (k7_relset_1\ (u1_struct_0\ X0)\ (u1_struct_0 \\
 & X1)\ X2\ X3 = k8_relset_1\ (u1_struct_0\ X1)\ (u1_struct_0\ X0)\ (k2_tops_2 \\
 & (u1_struct_0\ X0)\ (u1_struct_0\ X1)\ X2)\ X3))))))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\
& X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_pre_topc X1) \wedge (l1_pre_topc \\
& X1)))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 \\
& X1))) \Rightarrow (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 \\
& X1)))) \Rightarrow (\forall X4.((v1_funct_1 X4) \wedge ((v1_funct_2 X4 (u1_struct_0 \\
& X0) (u1_struct_0 X1)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow (((v3_tops_2 X4 X0 X1) \wedge \\
& (r3_connsp_1 X1 X3 X2)) \Rightarrow (r3_connsp_1 X0 (k8_reset_1 (u1_struct_0 \\
& X0) (u1_struct_0 X1) X4 X3) (k8_reset_1 (u1_struct_0 X0) (u1_struct_0 \\
& X1) X4 X2))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.(l1_pre_topc X0) \Rightarrow (l1_struct_0 X0) \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 \\
& X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))) \Rightarrow \\
& ((v1_funct_1 (k2_tops_2 X0 X1 X2)) \wedge ((v1_funct_2 (k2_tops_2 X0 \\
& X1 X2) X1 X0) \wedge (m1_subset_1 (k2_tops_2 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\
& X1 X0))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(l1_pre_topc X0) \Rightarrow (\forall X1.(l1_pre_topc X1) \Rightarrow (\forall X2. \\
& ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 \\
& X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
& X0) (u1_struct_0 X1)))))) \Rightarrow ((v3_tops_2 X2 X0 X1) \Leftrightarrow ((k1_reset_1 \\
& (u1_struct_0 X0) X2 = k2_struct_0 X0) \wedge ((k2_reset_1 (u1_struct_0 \\
& X1) X2 = k2_struct_0 X1) \wedge ((v2_funct_1 X2) \wedge ((v5_pre_topc X2 X0 X1) \wedge \\
& (v5_pre_topc (k2_tops_2 (u1_struct_0 X0) (u1_struct_0 X1) X2) \\
& X1 X0)))))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (k2_struct_0 X0 = u1_struct_0 X0) \tag{7}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\ & X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_pre_topc X1) \wedge (l1_pre_topc \\ & X1)))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 \\ & X0) (u1_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow ((v3_tops_2 X2 X0 X1) \Rightarrow \\ & (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow \\ & (\forall X4.(m1_subset_1 X4 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow \\ & ((r3_connsp_1 X0 X4 X3) \Rightarrow (r3_connsp_1 X1 (k7_relset_1 (u1_struct_0 \\ & X0) (u1_struct_0 X1) X2 X4) (k7_relset_1 (u1_struct_0 X0) (u1_struct_0 \\ & X1) X2 X3)))))))))) \end{aligned}$$