

t15_jordan_a
(TMagT9XyQCiYz2dRzkgi78oxQNXsTX3XnKQ)

October 27, 2020

Let $v1_topreal2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k15_euclid : \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $k3_jordan6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_jordan6 : \iota \Rightarrow \iota$ be given. Let $k22_pscomp_1 : \iota \Rightarrow \iota$ be given. Let $k18_pscomp_1 : \iota \Rightarrow \iota$ be given. Let $k5_jordan6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_topreal1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_jordan6 : \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k18_euclid : \iota \Rightarrow \iota$ be given. Let $k1_jordan5c : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_jordan6 : \iota \Rightarrow \iota$ be given. Let $k10_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_pscomp_1 : \iota \Rightarrow \iota$ be given. Let $k8_pscomp_1 : \iota \Rightarrow \iota$ be given. Let $k2_jordan5c : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_jordan6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.(m1_subset_1 X0 (k1_zfmisc_1 (u1_struct_0 (k15_euclid \\
& \quad np_2)))) \Rightarrow ((v1_topreal2 X0) \Rightarrow ((r1_topreal1 (k15_euclid np_2) \\
& (k18_pscomp_1 X0) (k22_pscomp_1 X0) (k8_jordan6 X0)) \wedge ((r1_topreal1 \\
& (k15_euclid np_2) (k22_pscomp_1 X0) (k18_pscomp_1 X0) (k8_jordan6 \\
& X0)) \wedge ((r1_topreal1 (k15_euclid np_2) (k22_pscomp_1 X0) (k18_pscomp_1 \\
& X0) (k9_jordan6 X0)) \wedge ((r1_topreal1 (k15_euclid np_2) (k18_pscomp_1 \\
& X0) (k22_pscomp_1 X0) (k9_jordan6 X0)) \wedge ((k9_subset_1 (u1_struct_0 \\
& (k15_euclid np_2)) (k8_jordan6 X0) (k9_jordan6 X0) = k2_tarski \\
& (k18_pscomp_1 X0) (k22_pscomp_1 X0)) \wedge ((k4_subset_1 (u1_struct_0 \\
& (k15_euclid np_2)) (k8_jordan6 X0) (k9_jordan6 X0) = X0) \wedge (\neg r1_xxreal_0 \\
& (k18_euclid (k1_jordan5c (k8_jordan6 X0) (k6_jordan6 (k10_real_1 \\
& (k7_real_1 (k6_pscomp_1 X0) (k8_pscomp_1 X0)) np_2)) (k18_pscomp_1 \\
& X0) (k22_pscomp_1 X0))) (k18_euclid (k2_jordan5c (k9_jordan6 \\
& X0) (k6_jordan6 (k10_real_1 (k7_real_1 (k6_pscomp_1 X0) (k8_pscomp_1 \\
& X0)) np_2)) (k22_pscomp_1 X0) (k18_pscomp_1 X0)))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\forall X0.\forall X1.(r1_tarski X0 X1) \Rightarrow (k3_xboole_0 X0 X1 = X0) \tag{2}$$

Assume the following.

$$\begin{aligned} \forall X0.(m1_subset_1 X0 (k1_zfmisc_1 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow ((r1_topreal1 (k15_euclid np_2) X1 X2 X0) \Rightarrow (k4_jordan6 \\ X0 X1 X2 X1 = X0)))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.(m1_subset_1 X0 (k1_zfmisc_1 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (r1_tarski (k3_jordan6 X0 X1 X2 X3) X0)))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.(m1_subset_1 X0 (k1_zfmisc_1 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow ((\neg v1_xboole_0 (k9_jordan6 X0)) \wedge (m1_subset_1 (k9_jordan6 \\ X0) (k1_zfmisc_1 (u1_struct_0 (k15_euclid np_2)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 (k1_zfmisc_1 (u1_struct_0 (k15_euclid np_2)))) \Rightarrow (m1_subset_1 (k22_pscomp_1 X0) (u1_struct_0 (k15_euclid np_2))) \quad (7)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 (k1_zfmisc_1 (u1_struct_0 (k15_euclid np_2)))) \Rightarrow (m1_subset_1 (k18_pscomp_1 X0) (u1_struct_0 (k15_euclid np_2))) \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.(m1_subset_1 X0 (k1_zfmisc_1 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 (k15_euclid \\ np_2)))) \Rightarrow (k5_jordan6 X0 X1 X2 X3 X4 = k9_subset_1 (u1_struct_0 (\\ k15_euclid np_2)) (k4_jordan6 X0 X1 X2 X3) (k3_jordan6 X0 X1 X2 X4)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k9_subset_1 X0 X2 X1) \quad (10)$$

Theorem 1

$$\begin{aligned} \forall X0.((v1_topreal2\ X0)\wedge(m1_subset_1\ X0\ (k1_zfmisc_1\ (u1_struct_0 \\ (k15_euclid\ np_2))))))\Rightarrow(\forall X1.(m1_subset_1\ X1\ (u1_struct_0 \\ (k15_euclid\ np_2)))\Rightarrow(k3_jordan6\ (k9_jordan6\ X0)\ (k22_pscomp_1 \\ X0)\ (k18_pscomp_1\ X0)\ X1 = k5_jordan6\ (k9_jordan6\ X0)\ (k22_pscomp_1 \\ X0)\ (k18_pscomp_1\ X0)\ (k22_pscomp_1\ X0)\ X1)) \end{aligned}$$