

## t15\_lmod\_6

(TMdG9NhdyAN4GyiE1njmZikT1EVpoLxVHAd)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v8\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v9\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v10\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v11\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_lmod\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_struct\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_vectsp\_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
 & X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
 & ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
 & (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
 & X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
 & X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
 & (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 \\
 & X1)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 (u1\_struct\_0 X1)) \Rightarrow (\forall X4. \\
 & (m1\_vectsp\_4 X4 X0 X1) \Rightarrow (((r1\_struct\_0 X4 X2) \wedge (r1\_struct\_0 X4 X3)) \Rightarrow \\
 & (r1\_struct\_0 X4 (k5\_algstr\_0 X1 X2 X3))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& X1)) \Rightarrow (\forall X3.(m1\_vectsp\_4 X3 X0 X1) \Rightarrow ((r1\_struct\_0 X3 X2) \Rightarrow \\
& (r1\_struct\_0 X3 (k4\_algstr\_0 X1 X2))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X1)) \Rightarrow (\forall X4. \\
& (m1\_vectsp\_4 X4 X0 X1) \Rightarrow ((r1\_struct\_0 X4 X3) \Rightarrow (r1\_struct\_0 X4 (k4\_vectsp\_1 \\
& X0 X1 X2 X3))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& X1)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X1)) \Rightarrow (\forall X4. \\
& (m1\_vectsp\_4 X4 X0 X1) \Rightarrow (((r1\_struct\_0 X4 X2) \wedge (r1\_struct\_0 X4 X3)) \Rightarrow \\
& (r1\_struct\_0 X4 (k3\_rlvect\_1 X1 X2 X3))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (r1\_struct\_0 X1 (k4\_struct\_0 X2)))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (r1\_struct\_0 X2 (k4\_struct\_0 X1)))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& X1)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X1)) \Rightarrow (\forall X4. \\
& (m1\_vectsp\_4 X4 X0 X1) \Rightarrow (\forall X5.(m1\_subset\_1 X5 (u1\_struct\_0 \\
& X4)) \Rightarrow (\forall X6.(m1\_subset\_1 X6 (u1\_struct\_0 X4)) \Rightarrow (((X5 = X2) \wedge \\
& (X6 = X3)) \Rightarrow (k5\_algstr\_0 X4 X5 X6 = k5\_algstr\_0 X1 X2 X3))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& X1)) \Rightarrow (\forall X3.(m1\_vectsp\_4 X3 X0 X1) \Rightarrow (\forall X4.(m1\_subset\_1 \\
& X4 (u1\_struct\_0 X3)) \Rightarrow ((X4 = X2) \Rightarrow (k4\_algstr\_0 X1 X2 = k4\_algstr\_0 \\
& X3 X4))))))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X1)) \Rightarrow (\forall X4. \\
& (m1\_vectsp\_4 X4 X0 X1) \Rightarrow (\forall X5.(m1\_subset\_1 X5 (u1\_struct\_0 \\
& X4)) \Rightarrow ((X5 = X3) \Rightarrow (k4\_vectsp\_1 X0 X4 X2 X5 = k4\_vectsp\_1 X0 X1 X2 X3))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& X1)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 X1)) \Rightarrow (\forall X4. \\
& (m1\_vectsp\_4 X4 X0 X1) \Rightarrow (\forall X5.(m1\_subset\_1 X5 (u1\_struct\_0 \\
& X4)) \Rightarrow (\forall X6.(m1\_subset\_1 X6 (u1\_struct\_0 X4)) \Rightarrow (((X5 = X2) \wedge \\
& (X6 = X3)) \Rightarrow (k3\_rlvect\_1 X4 X5 X6 = k3\_rlvect\_1 X1 X2 X3))))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (k4\_struct\_0 X2 = k4\_struct\_0 X1)))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((v2\_rlvect\_1 X0) \wedge (l1\_algstr\_0 \\
& X0)) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 \\
& X0)))) \Rightarrow (k3\_rlvect\_1 X0 X1 X2 = k1\_algstr\_0 X0 X1 X2)
\end{aligned} \tag{12}$$

Assume the following.

$$\forall X0. (l6\_algstr\_0 X0) \Rightarrow ((l2\_algstr\_0 X0) \wedge (l5\_algstr\_0 X0)) \tag{13}$$

Assume the following.

$$\forall X0. (l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall X0. (l1\_struct\_0 X0) \Rightarrow (\forall X1. (l1\_vectsp\_1 X1 X0) \Rightarrow \\
& (l2\_algstr\_0 X1))
\end{aligned} \tag{15}$$

Assume the following.

$$\forall X0. (l1\_algstr\_0 X0) \Rightarrow (l1\_struct\_0 X0) \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_group\_1 X0) \wedge ( \\
& (v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v8\_vectsp\_1 X1 X0) \wedge \\
& ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 X1 \\
& X0) \wedge (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2. ((\neg v2\_struct\_0 \\
& X2) \wedge ((v13\_algstr\_0 X2) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 X2) \wedge \\
& ((v4\_rlvect\_1 X2) \wedge ((v8\_vectsp\_1 X2 X0) \wedge ((v9\_vectsp\_1 X2 X0) \wedge \\
& ((v10\_vectsp\_1 X2 X0) \wedge ((v11\_vectsp\_1 X2 X0) \wedge (l1\_vectsp\_1 X2 X0)))))))))) \Rightarrow \\
& ((r1\_lmod\_6 X0 X1 X2) \Leftrightarrow (m1\_vectsp\_4 X1 X0 X2)))
\end{aligned} \tag{17}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_group\_1 X0) \wedge ( \\
& (v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(( \\
& \neg v2\_struct\_0 X2) \wedge ((v13\_algstr\_0 X2) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 \\
& X2) \wedge ((v4\_rlvect\_1 X2) \wedge ((v8\_vectsp\_1 X2 X0) \wedge ((v9\_vectsp\_1 X2 \\
& X0) \wedge ((v10\_vectsp\_1 X2 X0) \wedge ((v11\_vectsp\_1 X2 X0) \wedge (l1\_vectsp\_1 \\
& X2 X0)))))))))) \Rightarrow (\forall X3.((\neg v2\_struct\_0 X3) \wedge ((v13\_algstr\_0 \\
& X3) \wedge ((v2\_rlvect\_1 X3) \wedge ((v3\_rlvect\_1 X3) \wedge ((v4\_rlvect\_1 X3) \wedge \\
& ((v8\_vectsp\_1 X3 X0) \wedge ((v9\_vectsp\_1 X3 X0) \wedge ((v10\_vectsp\_1 X3 X0) \wedge \\
& ((v11\_vectsp\_1 X3 X0) \wedge (l1\_vectsp\_1 X3 X0)))))))))) \Rightarrow (\forall X4. \\
& (m1\_subset\_1 X4 (u1\_struct\_0 X2)) \Rightarrow (\forall X5.(m1\_subset\_1 X5 \\
& (u1\_struct\_0 X2)) \Rightarrow (\forall X6.(m1\_subset\_1 X6 (u1\_struct\_0 X2)) \Rightarrow \\
& (\forall X7.(m1\_subset\_1 X7 (u1\_struct\_0 X3)) \Rightarrow (\forall X8.(m1\_subset\_1 \\
& X8 (u1\_struct\_0 X3)) \Rightarrow (\forall X9.(m1\_subset\_1 X9 (u1\_struct\_0 \\
& X3)) \Rightarrow ((r1\_lmod\_6 X0 X2 X3) \Rightarrow ((k4\_struct\_0 X2 = k4\_struct\_0 X3) \wedge \\
& (((X4 = X7) \wedge (X5 = X8)) \Rightarrow (k1\_algstr\_0 X2 X4 X5 = k1\_algstr\_0 X3 X7 X8)) \wedge \\
& (((X6 = X9) \Rightarrow (k4\_vectsp\_1 X0 X2 X1 X6 = k4\_vectsp\_1 X0 X3 X1 X9)) \wedge (( \\
& (X6 = X9) \Rightarrow (k4\_algstr\_0 X3 X9 = k4\_algstr\_0 X2 X6)) \wedge (((X4 = X7) \wedge ( \\
& X5 = X8)) \Rightarrow (k5\_algstr\_0 X2 X4 X5 = k5\_algstr\_0 X3 X7 X8)) \wedge ((r1\_struct\_0 \\
& X2 (k4\_struct\_0 X3)) \wedge ((r1\_struct\_0 X3 (k4\_struct\_0 X2)) \wedge ((( \\
& r1\_struct\_0 X2 X7) \wedge (r1\_struct\_0 X2 X8)) \Rightarrow (r1\_struct\_0 X2 (k1\_algstr\_0 \\
& X3 X7 X8)) \wedge ((r1\_struct\_0 X2 X9) \Rightarrow (r1\_struct\_0 X2 (k4\_vectsp\_1 \\
& X0 X3 X1 X9)) \wedge ((r1\_struct\_0 X2 X9) \Rightarrow (r1\_struct\_0 X2 (k4\_algstr\_0 \\
& X3 X9)) \wedge (((r1\_struct\_0 X2 X7) \wedge (r1\_struct\_0 X2 X8)) \Rightarrow (r1\_struct\_0 \\
& X2 (k5\_algstr\_0 X3 X7 X8))))))))))))))))))
\end{aligned}$$