

## t15\_lopban\_3

(TMNe5XyywoNkiKkyCUju5AWXmfYqX82sjhu)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v4\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v2\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_bhsp\_4 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l2\_normsp\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 \\
 & X0) \wedge (l2\_algstr\_0 X0)))) \Rightarrow (\forall X1.((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 \\
 & X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 \\
 & (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow (\forall X2.( \\
 & (v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 X0)) \wedge \\
 & (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
 & X0)))))) \Rightarrow (r2\_funct\_2 k5\_numbers (u1\_struct\_0 X0) (k2\_normsp\_1 \\
 & X0 (k1\_bhsp\_4 X0 X1) (k1\_bhsp\_4 X0 X2)) (k1\_bhsp\_4 X0 (k2\_normsp\_1 \\
 & X0 X1 X2))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0.(l1\_rlvect\_1 X0) \Rightarrow (l2\_algstr\_0 X0) \tag{2}$$

Assume the following.

$$\forall X0.(l1\_normsp\_1 X0) \Rightarrow ((l1\_rlvect\_1 X0) \wedge (l2\_normsp\_0 X0)) \tag{3}$$

**Theorem 1**

$$\begin{aligned} & \forall X0. ((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v2\_rlvect\_1 \\ & X0) \wedge (v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge (v7\_rlvect\_1 X0) \wedge (v8\_rlvect\_1 X0) \wedge (v3\_normsp\_0 \\ & X0) \wedge (v4\_normsp\_0 X0) \wedge (v2\_normsp\_1 X0) \wedge (l1\_normsp\_1 X0)))))) \Rightarrow \\ & (\forall X1. ((v1\_funct\_1 X1) \wedge (v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 \\ & X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\ & X0)))))) \Rightarrow (\forall X2. ((v1\_funct\_1 X2) \wedge (v1\_funct\_2 X2 k5\_numbers \\ & (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow (r2\_funct\_2 k5\_numbers (u1\_struct\_0 \\ & X0) (k2\_normsp\_1 X0 (k1\_bhsp\_4 X0 X1) (k1\_bhsp\_4 X0 X2)) (k1\_bhsp\_4 \\ & X0 (k2\_normsp\_1 X0 X1 X2)))))) \end{aligned}$$