

t15\_qc\_lang4  
(TMQhCk8rotAZqvSQjyVXX7en22KkBH7J6x3)

October 27, 2020

Let  $m1\_qc\_lang1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_qc\_lang1 : \iota \Rightarrow \iota$  be given. Let  $m1\_trees\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k2\_qc\_lang4 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_trees\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k10\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $r2\_qc\_lang2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k11\_qc\_lang1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_trees\_1 : \iota \Rightarrow o$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v3\_trees\_2 : \iota \Rightarrow o$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_finset\_1 : \iota \Rightarrow o$  be given. Let  $k1\_funct\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1\_xboole\_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. (m1\_qc\_lang1 X0) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k9\_qc\_lang1 X0)) \Rightarrow (X1 \in k10\_xtuple\_0 (k2\_qc\_lang4 X0 X1))) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 X1) \Rightarrow ((v1\_xboole\_0 X1) \vee (X0 \in X1)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1\_subset\_1 X0 X1) \quad (4)$$

Assume the following.

$$\forall X0. (m1\_qc\_lang1 X0) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k9\_qc\_lang1 X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (k9\_qc\_lang1 X0)) \Rightarrow ((r2\_qc\_lang2 X0 X1 X2) \Rightarrow (r1\_xxreal\_0 (k3\_finseq\_1 (k11\_qc\_lang1 X0 X1)) (k3\_finseq\_1 (k11\_qc\_lang1 X0 X2)))))) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.(m1\_qc\_lang1\ X0) \Rightarrow (\forall X1.(m1\_subset\_1\ X1\ (k9\_qc\_lang1\ X0)) \Rightarrow (\forall X2.(m1\_trees\_1\ X2\ (k9\_xtuple\_0\ (k2\_qc\_lang4\ X0\ X1))) \Rightarrow (\forall X3.(m1\_trees\_1\ X3\ (k9\_xtuple\_0\ (k2\_qc\_lang4\ X0\ X1)))) \Rightarrow (\neg(r2\_xboole\_0\ X2\ X3) \wedge (r1\_xxreal\_0\ (k3\_finseq\_1\ (k11\_qc\_lang1\ X0\ (k3\_trees\_2\ (k9\_qc\_lang1\ X0)\ (k2\_qc\_lang4\ X0\ X1)\ X2)))) \wedge (k3\_finseq\_1\ (k11\_qc\_lang1\ X0\ (k3\_trees\_2\ (k9\_qc\_lang1\ X0)\ (k2\_qc\_lang4\ X0\ X1)\ X3)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.(m1\_qc\_lang1\ X0) \Rightarrow (\forall X1.(m1\_subset\_1\ X1\ (k9\_qc\_lang1\ X0)) \Rightarrow (\forall X2.(m1\_trees\_1\ X2\ (k9\_xtuple\_0\ (k2\_qc\_lang4\ X0\ X1))) \Rightarrow (\forall X3.(m1\_trees\_1\ X3\ (k9\_xtuple\_0\ (k2\_qc\_lang4\ X0\ X1)))) \Rightarrow ((r1\_tarski\ X2\ X3) \Rightarrow (r2\_qc\_lang2\ X0\ (k3\_trees\_2\ (k9\_qc\_lang1\ X0)\ (k2\_qc\_lang4\ X0\ X1)\ X3)\ (k3\_trees\_2\ (k9\_qc\_lang1\ X0)\ (k2\_qc\_lang4\ X0\ X1)\ X2)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.r1\_tarski\ X0\ X0 \quad (8)$$

Assume the following.

$$\forall X0.((\neg v1\_xboole\_0\ X0) \wedge (v1\_trees\_1\ X0)) \Rightarrow (\forall X1.(m1\_trees\_1\ X1\ X0) \Leftrightarrow (m1\_subset\_1\ X1\ X0)) \quad (9)$$

Assume the following.

$$\forall X0.((v1\_relat\_1\ X0) \wedge ((v1\_funct\_1\ X0) \wedge (v3\_trees\_2\ X0))) \Rightarrow ((\neg v1\_xboole\_0\ (k9\_xtuple\_0\ X0)) \wedge (v1\_trees\_1\ (k9\_xtuple\_0\ X0))) \quad (10)$$

Assume the following.

$$\forall X0.(m1\_qc\_lang1\ X0) \Rightarrow (\neg v1\_xboole\_0\ (k9\_qc\_lang1\ X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0\ X0) \wedge ((v1\_relat\_1\ X1) \wedge ((v5\_relat\_1\ X1\ X0) \wedge ((v1\_funct\_1\ X1) \wedge (v3\_trees\_2\ X1)))) \wedge (m1\_subset\_1\ X2\ (k9\_xtuple\_0\ X1))) \Rightarrow (m1\_subset\_1\ (k3\_trees\_2\ X0\ X1\ X2)\ X0) \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((m1\_qc\_lang1\ X0) \wedge (m1\_subset\_1\ X1\ (k9\_qc\_lang1\ X0))) \Rightarrow ((v1\_relat\_1\ (k2\_qc\_lang4\ X0\ X1)) \wedge ((v5\_relat\_1\ (k2\_qc\_lang4\ X0\ X1)\ (k9\_qc\_lang1\ X0)) \wedge ((v1\_funct\_1\ (k2\_qc\_lang4\ X0\ X1)) \wedge ((v1\_finset\_1\ (k2\_qc\_lang4\ X0\ X1)) \wedge (v3\_trees\_2\ (k2\_qc\_lang4\ X0\ X1)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.((v1\_relat\_1 X0) \wedge (v1\_funct\_1 X0)) \Rightarrow (\forall X1.(X1 = \\ k10\_xtuple\_0 X0) \Leftrightarrow (\forall X2.(X2 \in X1) \Leftrightarrow (\exists X3.(X3 \in k9\_xtuple\_0 \\ X0) \wedge (X2 = k1\_funct\_1 X0 X3)))) \end{aligned} \quad (14)$$

**Theorem 1**

$$\begin{aligned} \forall X0.(m1\_qc\_lang1 X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k9\_qc\_lang1 \\ X0)) \Rightarrow (\forall X2.(m1\_trees\_1 X2 (k9\_xtuple\_0 (k2\_qc\_lang4 X0 \\ X1))) \Rightarrow (\forall X3.(m1\_trees\_1 X3 (k9\_xtuple\_0 (k2\_qc\_lang4 X0 \\ X1)))) \Rightarrow (\neg(r2\_xboole\_0 X2 X3) \wedge (k3\_trees\_2 (k9\_qc\_lang1 X0) (k2\_qc\_lang4 \\ X0 X1) X3 = k3\_trees\_2 (k9\_qc\_lang1 X0) (k2\_qc\_lang4 X0 X1) X2)))))) \end{aligned}$$