

t15_sf_mastr
(TMK4KnancBCb5ozCx2idoR3WGLLZ9f6J4M8)

October 27, 2020

Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k1_sf_mastr : \iota \Rightarrow \iota$ be given. Let $k11_scmf_sa_2 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_compos_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_compos_1 : \iota \Rightarrow \iota$ be given. Let $k1_scmf_sa_2 : \iota$ be given. Let $np_6 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $k5_finsub_1 : \iota \Rightarrow \iota$ be given. Let $k2_scmf_sa_2 : \iota$ be given. Let $k3_enumset1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $np_2 : \iota$ be given. Let $np_3 : \iota$ be given. Let $np_4 : \iota$ be given. Let $np_5 : \iota$ be given. Let $v1_ami_2 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k6_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_scmf_sa_m : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_7 : \iota$ be given. Let $np_8 : \iota$ be given. Let $k12_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k13_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_scmf_sa_m : \iota \Rightarrow \iota$ be given. Let $np_9 : \iota$ be given. Let $np_10 : \iota$ be given. Let $m1_scmf_sa_2 : \iota \Rightarrow o$ be given. Let $k14_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k15_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_11 : \iota$ be given. Let $np_12 : \iota$ be given. Let $k16_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k17_scmf_sa_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (k2_compos_0 (u1_compos_1 k1_scmf_sa_2) (k11_scmf_sa_2 X0) = np_6) \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \quad (2)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (3)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (4)$$

Assume the following.

$$\neg v1_xboole_0 \ k1_numbers \quad (5)$$

Assume the following.

$$m1_subset_1 \ k5_numbers \ (k1_zfmisc_1 \ k1_numbers) \quad (6)$$

Assume the following.

$$\forall X0.(m1_subset_1 \ X0 \ (u1_compos_1 \ k1_scmfsa_2)) \Rightarrow (m1_subset_1 \ (k1_sf_mastr \ X0) \ (k5_finsub_1 \ k2_scmfsa_2)) \quad (7)$$

Assume the following.

$$\forall X0.(m1_subset_1 \ X0 \ k5_numbers) \Rightarrow (m1_subset_1 \ (k11_scmfsa_2 \ X0) \ (u1_compos_1 \ k1_scmfsa_2)) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\ (X5 = k3_enumset1 \ X0 \ X1 \ X2 \ X3 \ X4) & \Leftrightarrow (\forall X6.(X6 \in X5) \Leftrightarrow (\neg(X6 \neq X0) \wedge \\ & ((X6 \neq X1) \wedge ((X6 \neq X2) \wedge ((X6 \neq X3) \wedge (X6 \neq X4)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned}
& \forall X0.(m1_subset_1 X0 (u1_compos_1 k1_scmfsa_2)) \Rightarrow (\forall X1. \\
& (m1_subset_1 X1 (k5_finsub_1 k2_scmfsa_2)) \Rightarrow (((k2_compos_0 (\\
& u1_compos_1 k1_scmfsa_2) X0 \in k3_enumset1 np_1 np_2 np_3 np_4 \\
& np_5) \Rightarrow ((X1 = k1_sf_mastr X0) \Leftrightarrow (\exists X2. ((v1_ami_2 X2) \wedge (m1_subset_1 \\
& X2 (u1_struct_0 k1_scmfsa_2))) \wedge (\exists X3. ((v1_ami_2 X3) \wedge (\\
& m1_subset_1 X3 (u1_struct_0 k1_scmfsa_2))) \wedge ((\neg(X0 \neq k6_scmfsa_2 \\
& X2 X3) \wedge (X0 \neq k7_scmfsa_2 X2 X3) \wedge (X0 \neq k8_scmfsa_2 X2 X3) \wedge (X0 \neq \\
& k9_scmfsa_2 X2 X3) \wedge (X0 \neq k10_scmfsa_2 X2 X3)))))) \wedge (X1 = k5_scmfsa_m \\
& X2 X3)))))) \wedge (((k2_compos_0 (u1_compos_1 k1_scmfsa_2) X0 = np_7) \vee \\
& (k2_compos_0 (u1_compos_1 k1_scmfsa_2) X0 = np_8)) \Rightarrow ((X1 = k1_sf_mastr \\
& X0) \Leftrightarrow (\exists X2. ((v1_ami_2 X2) \wedge (m1_subset_1 X2 (u1_struct_0 \\
& k1_scmfsa_2))) \wedge (\exists X3. (m2_subset_1 X3 k1_numbers k5_numbers) \wedge \\
& (((X0 = k12_scmfsa_2 X3 X2) \vee (X0 = k13_scmfsa_2 X3 X2)) \wedge (X1 = k4_scmfsa_m \\
& X2)))))) \wedge (((k2_compos_0 (u1_compos_1 k1_scmfsa_2) X0 = np_9) \vee \\
& (k2_compos_0 (u1_compos_1 k1_scmfsa_2) X0 = np_10)) \Rightarrow ((X1 = k1_sf_mastr \\
& X0) \Leftrightarrow (\exists X2. ((v1_ami_2 X2) \wedge (m1_subset_1 X2 (u1_struct_0 \\
& k1_scmfsa_2))) \wedge (\exists X3. ((v1_ami_2 X3) \wedge (m1_subset_1 X3 (\\
& u1_struct_0 k1_scmfsa_2))) \wedge (\exists X4. (m1_scmfsa_2 X4) \wedge ((\\
& (X0 = k14_scmfsa_2 X3 X2 X4) \vee (X0 = k15_scmfsa_2 X3 X2 X4)) \wedge (X1 = k5_scmfsa_m \\
& X2 X3)))))) \wedge (((k2_compos_0 (u1_compos_1 k1_scmfsa_2) X0 = np_11) \vee \\
& (k2_compos_0 (u1_compos_1 k1_scmfsa_2) X0 = np_12)) \Rightarrow ((X1 = k1_sf_mastr \\
& X0) \Leftrightarrow (\exists X2. ((v1_ami_2 X2) \wedge (m1_subset_1 X2 (u1_struct_0 \\
& k1_scmfsa_2))) \wedge (\exists X3. (m1_scmfsa_2 X3) \wedge (((X0 = k16_scmfsa_2 \\
& X2 X3) \vee (X0 = k17_scmfsa_2 X2 X3)) \wedge (X1 = k4_scmfsa_m X2)))))) \wedge (\neg \\
& (\neg k2_compos_0 (u1_compos_1 k1_scmfsa_2) X0 \in k3_enumset1 np_1 \\
& np_2 np_3 np_4 np_5) \wedge ((k2_compos_0 (u1_compos_1 k1_scmfsa_2) \\
& X0 \neq np_7) \wedge ((k2_compos_0 (u1_compos_1 k1_scmfsa_2) X0 \neq np_8) \wedge \\
& ((k2_compos_0 (u1_compos_1 k1_scmfsa_2) X0 \neq np_9) \wedge ((k2_compos_0 \\
& (u1_compos_1 k1_scmfsa_2) X0 \neq np_10) \wedge ((k2_compos_0 (u1_compos_1 \\
& k1_scmfsa_2) X0 \neq np_11) \wedge ((k2_compos_0 (u1_compos_1 k1_scmfsa_2) \\
& X0 \neq np_12) \wedge (\neg(X1 = k1_sf_mastr X0) \Leftrightarrow (X1 = k1_xboole_0))))))))))))) \\
& \tag{10}
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (k1_sf_mastr \\
& (k11_scmfsa_2 X0) = k1_xboole_0)
\end{aligned}$$