

t15_uniroots
(TMd5jxezuDCCzEwDLTEjeUvYJRBiVBzBDQU)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_uniroots : \iota \Rightarrow \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k7_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $k8_struct_0 : \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k2_struct_0 : \iota \Rightarrow \iota$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $u2_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k1_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 X1) \Rightarrow (X1 = k2_xboole_0 X0 (k4_xboole_0 X1 X0)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (k7_subset_1 X0 X1 X2 = k4_xboole_0 X1 X2) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.(\neg v1_xboole_0 X0)\Rightarrow(\neg v1_xboole_0 (k2_xboole_0 X0 X1)) \quad (5)$$

Assume the following.

$$\forall X0.((\neg v7_struct_0 X0)\wedge(l2_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (k8_struct_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0)\Rightarrow((l2_algstr_0 X0)\wedge(l5_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l5_algstr_0 X0)\Rightarrow((l4_algstr_0 X0)\wedge(l4_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(m1_subset_1 (k8_struct_0 X0) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow(m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (12)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(m1_subset_1 (k4_struct_0 X0) (u1_struct_0 X0)) \quad (13)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0)\Rightarrow(m1_subset_1 (k2_struct_0 X0) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0)\wedge((\neg v6_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v33_algstr_0 X0)\wedge((v3_group_1 X0)\wedge((v4_vectsp_1 X0)\wedge((v5_vectsp_1 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge(l6_algstr_0 X0))))))))))\Rightarrow((\neg v2_struct_0 (k1_uniroots X0))\wedge((v15_algstr_0 (k1_uniroots X0))\wedge((v2_group_1 (k1_uniroots X0))\wedge((v3_group_1 (k1_uniroots X0))\wedge(l3_algstr_0 (k1_uniroots X0)))))) \quad (15) \end{aligned}$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (k2_struct_0 X0 = u1_struct_0 X0) \quad (16)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ &X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge \\ &((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 \\ &X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. ((\neg v2_struct_0 \\ &X1) \wedge ((v15_algstr_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge (\\ &l3_algstr_0 X1)))))) \Rightarrow ((X1 = k1_uniroots X0) \Leftrightarrow ((u1_struct_0 X1 = \\ &k8_struct_0 X0) \wedge (u2_algstr_0 X1 = k1_realset1 (u2_algstr_0 X0) \\ &(u1_struct_0 X1)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (k8_struct_0 X0 = k7_subset_1 (u1_struct_0 X0) (k2_struct_0 X0) (k1_tarSKI (k4_struct_0 X0))) \quad (18)$$

Assume the following.

$$\forall X0. \forall X1. k2_xboole_0 X0 X1 = k2_xboole_0 X1 X0 \quad (19)$$

Assume the following.

$$\forall X0.(l4_struct_0 X0) \Rightarrow ((\neg v6_struct_0 X0) \Rightarrow (\neg v7_struct_0 X0)) \quad (20)$$

Theorem 1

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\ &X0) \wedge ((v33_algstr_0 X0) \wedge ((v3_group_1 X0) \wedge ((v4_vectsp_1 X0) \wedge \\ &((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 \\ &X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (u1_struct_0 X0 = k2_xboole_0 \\ &(u1_struct_0 (k1_uniroots X0) (k6_domain_1 (u1_struct_0 X0) \\ &(k4_struct_0 X0))) \end{aligned}$$