

t16_bhsp_2 (TMXAD-
PUyJuvn5kWLeCmkcQLXTZQccpUdr6r)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_bhsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_bhsp_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_real_1 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\
& X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge \\
& ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& (r2_funct_2 k5_numbers (u1_struct_0 X0) (k5_normsp_1 X0 X1 (k1_real_1 \\
& np_1)) (k5_vfunct_1 k5_numbers X0 X1)))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (k4_algstr_0 X0 X1 = k1_rlvect_1 X0 X1 (k1_real_1 np_1)))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 k1_numbers) \Rightarrow \\ & (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\ & X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow ((v1_bhsp_2 X2 X0) \Rightarrow (k1_bhsp_2 X0 (k5_normsp_1 X0 X2 X1) = \\ & k1_rlvect_1 X0 (k1_bhsp_2 X0 X2) X1)))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X2) \wedge \\ & ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 \\ & X3) \Leftrightarrow (X2 = X3)) \end{aligned} \quad (5)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (6)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 X0) \wedge (((\neg v2_struct_0 \\ & X1) \wedge (l2_algstr_0 X1)) \wedge ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 (u1_struct_0 \\ & X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1)))))))) \Rightarrow ((v1_funct_1 (k5_vfunct_1 X0 X1 X2)) \wedge (v1_partfun1 \\ & (k5_vfunct_1 X0 X1 X2) X0)) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.(l1_bhsp_1 X0) \Rightarrow (l1_rlvect_1 X0) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v2_struct_0 \\ X1)\wedge(l2_algstr_0 X1))\wedge((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 X0 (u1_struct_0 X1)))))))\Rightarrow((v1_funct_1 (k5_vfunct_1 \\ X0 X1 X2))\wedge(m1_subset_1 (k5_vfunct_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\ X0 (u1_struct_0 X1)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_rlvect_1 \\ X0))\wedge(((v1_funct_1 X1)\wedge((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ X0))\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ X0))))))\wedge(m1_subset_1 X2 k1_numbers)))\Rightarrow((v1_funct_1 (k5_normsp_1 \\ X0 X1 X2))\wedge((v1_funct_2 (k5_normsp_1 X0 X1 X2) k5_numbers (u1_struct_0 \\ X0))\wedge(m1_subset_1 (k5_normsp_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\ k5_numbers (u1_struct_0 X0)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers)\Rightarrow(m1_subset_1 (k1_real_1 \\ X0) k1_numbers) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge \\ ((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 \\ X0)\wedge((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge \\ ((v2_bhs_1 X0)\wedge(l1_bhs_1 X0))))))))))\wedge((v1_funct_1 X1)\wedge \\ ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 X1 \\ (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0))))))\Rightarrow \\ (m1_subset_1 (k1_bhs_2 X0 X1) (u1_struct_0 X0)) \end{aligned} \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 X0 X1)))\Rightarrow((v1_partfun1 X2 X0)\Rightarrow(v1_funct_2 X2 X0 X1)) \quad (15)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\ ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v2_bhs_1 \\ X0)\wedge(l1_bhs_1 X0))))))))))\Rightarrow(\forall X1.((v1_funct_1 X1)\wedge \\ ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 X1 \\ (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0))))))\Rightarrow \\ ((v1_bhs_2 X1 X0)\Rightarrow(k1_bhs_2 X0 (k5_vfunct_1 k5_numbers X0 X1)) = \\ k4_algstr_0 X0 (k1_bhs_2 X0 X1))) \end{aligned}$$