

t16_msaterm (TMVpKvQhB- wuFF9YMjxcDwGeVXP7kNYQE8KV)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $l1_msualg_1 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v2_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l3_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_dtconstr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_msafree : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u3_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_trees_3 : \iota \Rightarrow \iota$ be given. Let $k1_msaterm : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_trees_4 : \iota \Rightarrow \iota$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_msaterm : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l5_struct_0 : \iota \Rightarrow o$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_msualg_1 X0))) \Rightarrow (\forall X1. ((v1_relat_1 X1) \wedge ((v2_relat_1 X1) \wedge (v4_relat_1 X1 (u1_struct_0 X0)) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 (u1_struct_0 X0)))))) \Rightarrow (\forall X2. (m1_dtconstr X2 (u1_struct_0 (k5_msafree X0 X1)) (k5_trees_3 (u1_struct_0 (k5_msafree X0 X1))) (k1_msaterm X0 X1)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4. (m1_subset_1 X4 (k1_funct_1 X1 X3)) \Rightarrow ((X2 = k1_trees_4 (k4_tarski X4 X3)) \Rightarrow (k7_msaterm X0 X1 X2 = X3)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((v1_relat_1 X1)\wedge((v2_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))))\wedge(m1_subset_1 X2 X0)))\Rightarrow(\neg v1_xboole_0 (k1_funct_1 X1 X2)) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\wedge((v1_relat_1 X2)\wedge((v2_relat_1 X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))))\Rightarrow((v1_relat_1 (k2_pboole X0 X2 X1))\wedge((v2_relat_1 (k2_pboole X0 X2 X1))\wedge((v4_relat_1 (k2_pboole X0 X2 X1) X0)\wedge((v1_funct_1 (k2_pboole X0 X2 X1))\wedge(v1_partfun1 (k2_pboole X0 X2 X1) X0)))))) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((l1_struct_0 X0)\wedge(l2_msualg_1 X1 X0))\Rightarrow((v1_relat_1 (u3_msualg_1 X0 X1))\wedge((v4_relat_1 (u3_msualg_1 X0 X1) (u1_struct_0 X0))\wedge((v1_funct_1 (u3_msualg_1 X0 X1))\wedge(v1_partfun1 (u3_msualg_1 X0 X1) (u1_struct_0 X0)))))) \quad (6)$$

Assume the following.

$$\forall X0.(l5_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_msualg_1 X0))\Rightarrow(\forall X1.(l3_msualg_1 X1 X0)\Rightarrow(l2_msualg_1 X1 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l1_msualg_1 X0)\Rightarrow(l5_struct_0 X0) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\wedge((v1_relat_1 X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))\Rightarrow((v1_relat_1 (k2_pboole X0 X1 X2))\wedge((v4_relat_1 (k2_pboole X0 X1 X2) X0)\wedge((v1_funct_1 (k2_pboole X0 X1 X2))\wedge(v1_partfun1 (k2_pboole X0 X1 X2) X0)))))) \quad (10)$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\
& (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\
& (\forall X3. ((v1_relat_1 X3) \wedge ((v4_relat_1 X3 X0) \wedge ((v1_funct_1 \\
& X3) \wedge (v1_partfun1 X3 X0)))) \Rightarrow ((X3 = k2_pboole X0 X1 X2) \Leftrightarrow (\forall X4. \\
& (X4 \in X0) \Rightarrow (k1_funct_1 X3 X4 = k2_xboole_0 (k1_funct_1 X1 X4) (k1_funct_1 \\
& X2 X4))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (X2 = k2_xboole_0 X0 X1) \Leftrightarrow (\forall X3. \\
& (X3 \in X2) \Leftrightarrow ((X3 \in X0) \vee (X3 \in X1)))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \Rightarrow ((m1_subset_1 X1 X0) \Leftrightarrow \\
& (X1 \in X0))) \wedge ((v1_xboole_0 X0) \Rightarrow ((m1_subset_1 X1 X0) \Leftrightarrow (v1_xboole_0 \\
& X1)))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\
& (k2_pboole X0 X1 X2 = k2_pboole X0 X2 X1)
\end{aligned} \tag{14}$$

Theorem 1

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_msualg_1 \\
& X0))) \Rightarrow (\forall X1. ((v1_relat_1 X1) \wedge ((v2_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 X0)) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2. (l3_msualg_1 X2 X0) \Rightarrow (\forall X3. (m1_dtconstr \\
& X3 (u1_struct_0 (k5_msafree X0 (k2_pboole (u1_struct_0 X0) (u3_msualg_1 \\
& X0 X2) X1))) (k5_trees_3 (u1_struct_0 (k5_msafree X0 (k2_pboole \\
& (u1_struct_0 X0) (u3_msualg_1 X0 X2) X1)))) (k1_msaterm X0 (k2_pboole \\
& (u1_struct_0 X0) (u3_msualg_1 X0 X2) X1))) \Rightarrow (\forall X4. (m1_subset_1 \\
& X4 (u1_struct_0 X0)) \Rightarrow (\forall X5. (m1_subset_1 X5 (k1_funct_1 \\
& X1 X4)) \Rightarrow ((X3 = k1_trees_4 (k4_tarski X5 X4)) \Rightarrow (k7_msaterm X0 (k2_pboole \\
& (u1_struct_0 X0) (u3_msualg_1 X0 X2) X1) X3 = X4))))))
\end{aligned}$$