

t16_msscyc_1

(TMHZYUh7AkUu37X3TvvSucCBbR6JTySSZSc)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $l1_graph_1 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v7_graph_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_graph_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_graph_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_graph_1 : \iota \Rightarrow \iota$ be given. Let $u2_graph_1 : \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $k2_finseq_1 : \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0)))) \Rightarrow ((np_1 \in k4_finseq_1 X0) \wedge (k3_finseq_1 X0 \in k4_finseq_1 X0)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (3)$$

Assume the following.

$$\forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (\forall X1. (v7_ordinal1 X1) \Rightarrow ((X1 \in k1_relset_1 k5_numbers X0) \Leftrightarrow ((r1_xxreal_0 np_1 X1) \wedge (r1_xxreal_0 X1 (k3_finseq_1 X0)))) \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ (\forall X1.((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 \\ X1)))) \Rightarrow (k3_finseq_1 (k7_finseq_1 X0 X1) = k2_nat_1 (k3_finseq_1 \\ X0) (k3_finseq_1 X1))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_graph_1 \\ X0))) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge ((v7_graph_1 X1 X0) \wedge (m1_graph_1 \\ X1 X0))) \Rightarrow (\forall X2.(m1_subset_1 X2 k5_numbers) \Rightarrow ((r1_xxreal_0 \\ np_1 X2) \wedge (r1_xxreal_0 X2 (k3_finseq_1 X1))) \Rightarrow ((k1_funct_1 (k7_graph_2 \\ X0 X1) X2 = k1_funct_1 (u1_graph_1 X0) (k1_funct_1 X1 X2)) \wedge (k1_funct_1 \\ (k7_graph_2 X0 X1) (k2_nat_1 X2 np_1) = k1_funct_1 (u2_graph_1 \\ X0) (k1_funct_1 X1 X2)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (7)$$

Assume the following.

$$r1_xxreal_0 np_1 np_1 \quad (8)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_xxreal_0 X0) \wedge (v1_xxreal_0 X1)) \Rightarrow (\\ r1_xxreal_0 X0 X0) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\ X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \quad (10)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (11)$$

Assume the following.

$$\forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ (k4_finseq_1 X0 = k9_xtuple_0 X0) \quad (12)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (\\ k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (13)$$

Assume the following.

$$\neg v1_finset_1 k4_ordinal1 \quad (14)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (l1_graph_1 X0)) \Rightarrow (\forall X1. \\ & (m1_graph_1 X1 X0) \Rightarrow ((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 \\ & X1)))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 \\ & X0))) \wedge ((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 X1)))) \Rightarrow \\ & ((v1_relat_1 (k7_finseq_1 X0 X1)) \wedge ((v1_funct_1 (k7_finseq_1 \\ & X0 X1)) \wedge (v1_finseq_1 (k7_finseq_1 X0 X1)))) \end{aligned} \quad (17)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (m2_subset_1 (k3_finseq_1 X0) k1_numbers k5_numbers) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (\forall X1. ((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 \\ & X1)))) \Rightarrow (\forall X2. ((v1_relat_1 X2) \wedge ((v1_funct_1 X2) \wedge (v1_finseq_1 \\ & X2)))) \Rightarrow ((X2 = k7_finseq_1 X0 X1) \Leftrightarrow ((k4_finseq_1 X2 = k2_finseq_1 \\ & (k2_nat_1 (k3_finseq_1 X0) (k3_finseq_1 X1)))) \wedge ((\forall X3. (\\ & v7_ordinal1 X3) \Rightarrow ((X3 \in k4_finseq_1 X0) \Rightarrow (k1_funct_1 X2 X3 = k1_funct_1 \\ & X0 X3)))) \wedge (\forall X3. (v7_ordinal1 X3) \Rightarrow ((X3 \in k4_finseq_1 X1) \Rightarrow \\ & (k1_funct_1 X2 (k2_nat_1 (k3_finseq_1 X0) X3) = k1_funct_1 X1 X3)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & ((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v1_funct_1 X0) \wedge \\ & (v1_finseq_1 X0)))) \end{aligned} \quad (22)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0) \Rightarrow (v1_xreal_0 X0) \quad (23)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_finset_1 X1)) \quad (24)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xreal_0 X0) \quad (25)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (v1_finset_1 X0) \quad (26)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_graph_1 \\ & X0))) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge ((v7_graph_1 X1 X0) \wedge (m1_graph_1 \\ & X1 X0))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v7_graph_1 X2 X0) \wedge \\ & (m1_graph_1 X2 X0))) \Rightarrow (\forall X3.((\neg v1_xboole_0 X3) \wedge ((v7_graph_1 \\ & X3 X0) \wedge (m1_graph_1 X3 X0)))) \Rightarrow ((X1 = k7_finseq_1 X2 X3) \Rightarrow ((k1_funct_1 \\ & (k7_graph_2 X0 X1) np_1 = k1_funct_1 (k7_graph_2 X0 X2) np_1) \wedge \\ & (k1_funct_1 (k7_graph_2 X0 X1) (k2_nat_1 (k3_finseq_1 X1) np_1) = \\ & k1_funct_1 (k7_graph_2 X0 X3) (k2_nat_1 (k3_finseq_1 X3) np_1)))))) \end{aligned}$$