

## t16\_nfcont\_1

(TMYaYkcfU7AgWfSr4wNmR1xZGkkekgyxzNUQ)

October 27, 2020

Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v4\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v2\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $l1\_normsp\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_nfcont\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_vfunct\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $v3\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k6\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k8\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l2\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $l1\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k7\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0.(m1\_subset\_1 X0 k1\_numbers) \Rightarrow (\forall X1.((\neg v2\_struct\_0 \\
 & X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge \\
 & ((v4\_rlvect\_1 X1) \wedge ((v5\_rlvect\_1 X1) \wedge ((v6\_rlvect\_1 X1) \wedge ((v7\_rlvect\_1 \\
 & X1) \wedge ((v8\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 X1) \wedge ((v4\_normsp\_0 X1) \wedge \\
 & ((v2\_normsp\_1 X1) \wedge (l1\_normsp\_1 X1)))))))))) \Rightarrow (\forall X2. \\
 & ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 X1)) \wedge \\
 & (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
 & X1)))))) \Rightarrow ((v3\_normsp\_1 X2 X1) \Rightarrow (k6\_normsp\_1 X1 (k5\_normsp\_1 X1 \\
 & X2 X0) = k1\_rlvect\_1 X1 (k6\_normsp\_1 X1 X2) X0)))
 \end{aligned}
 \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(m1\_subset\_1 X0 k1\_numbers) \Rightarrow (\forall X1.((\neg v2\_struct\_0 \\
& X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge \\
& ((v4\_rlvect\_1 X1) \wedge ((v5\_rlvect\_1 X1) \wedge ((v6\_rlvect\_1 X1) \wedge ((v7\_rlvect\_1 \\
& X1) \wedge ((v8\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 X1) \wedge ((v4\_normsp\_0 X1) \wedge \\
& ((v2\_normsp\_1 X1) \wedge (l1\_normsp\_1 X1)))))))))) \Rightarrow (\forall X2. \\
& ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 X1)) \wedge \\
& (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X1)))))) \Rightarrow ((v3\_normsp\_1 X2 X1) \Rightarrow (v3\_normsp\_1 (k5\_normsp\_1 X1 X2 \\
& X0) X1))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 \\
& X0) \wedge ((v4\_normsp\_0 X0) \wedge ((v2\_normsp\_1 X0) \wedge (l1\_normsp\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v5\_rlvect\_1 X1) \wedge \\
& ((v6\_rlvect\_1 X1) \wedge ((v7\_rlvect\_1 X1) \wedge ((v8\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 \\
& X1) \wedge ((v4\_normsp\_0 X1) \wedge ((v2\_normsp\_1 X1) \wedge (l1\_normsp\_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow (\forall X3.((v1\_funct\_1 \\
& X3) \wedge ((v1\_funct\_2 X3 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 \\
& X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\
& (\forall X4.(m1\_subset\_1 X4 k1\_numbers) \Rightarrow ((r1\_tarski (k2\_relset\_1 \\
& (u1\_struct\_0 X0) X3) (k1\_relset\_1 (u1\_struct\_0 X0) X2)) \Rightarrow (r2\_funct\_2 \\
& k5\_numbers (u1\_struct\_0 X1) (k8\_funct\_2 k5\_numbers (u1\_struct\_0 \\
& X1) (u1\_struct\_0 X0) X3 (k4\_vfunct\_1 (u1\_struct\_0 X0) X1 X2 X4) \\
& (k5\_normsp\_1 X1 (k8\_funct\_2 k5\_numbers (u1\_struct\_0 X1) (u1\_struct\_0 \\
& X0) X3 X2) X4))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((v1\_funct\_1 X2) \wedge \\
& ((v1\_funct\_2 X2 X0 X1) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& X0 X1)))) \wedge ((v1\_funct\_1 X3) \wedge ((v1\_funct\_2 X3 X0 X1) \wedge (m1\_subset\_1 \\
& X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))))) \Rightarrow ((r2\_funct\_2 X0 X1 X2 \\
& X3) \Leftrightarrow (X2 = X3))
\end{aligned} \tag{4}$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \tag{5}$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \tag{6}$$

Assume the following.

$$\forall X0.(l2\_struct\_0 X0)\Rightarrow(l1\_struct\_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.(l2\_normsp\_0 X0)\Rightarrow((l1\_normsp\_0 X0)\wedge(l2\_struct\_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l1\_normsp\_1 X0)\Rightarrow((l1\_rlvect\_1 X0)\wedge(l2\_normsp\_0 X0)) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((\neg v1\_xboole\_0 \\ & X2)\wedge(((v1\_funct\_1 X3)\wedge((v1\_funct\_2 X3 X0 X2)\wedge(m1\_subset\_1 X3 \\ & (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X2))))))\wedge((v1\_relat\_1 X4)\wedge((v5\_relat\_1 \\ & X4 X1)\wedge(v1\_funct\_1 X4))))\Rightarrow((v1\_funct\_1 (k8\_funct\_2 X0 X1 X2 X3 \\ & X4)\wedge((v1\_funct\_2 (k8\_funct\_2 X0 X1 X2 X3 X4) X0 X1)\wedge(m1\_subset\_1 \\ & (k8\_funct\_2 X0 X1 X2 X3 X4) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2\_struct\_0 X0)\wedge(l1\_rlvect\_1 \\ & X0))\wedge(((v1\_funct\_1 X1)\wedge((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 \\ & X0))\wedge(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\ & X0))))))\wedge(m1\_subset\_1 X2 k1\_numbers)))\Rightarrow((v1\_funct\_1 (k5\_normsp\_1 \\ & X0 X1 X2))\wedge((v1\_funct\_2 (k5\_normsp\_1 X0 X1 X2) k5\_numbers (u1\_struct\_0 \\ & X0))\wedge(m1\_subset\_1 (k5\_normsp\_1 X0 X1 X2) (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (u1\_struct\_0 X0)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1\_xboole\_0 X0)\wedge \\ & (((\neg v2\_struct\_0 X1)\wedge(l1\_rlvect\_1 X1))\wedge(((v1\_funct\_1 X2)\wedge(m1\_subset\_1 \\ & X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 (u1\_struct\_0 X1))))))\wedge(m1\_subset\_1 \\ & X3 k1\_numbers))))\Rightarrow((v1\_funct\_1 (k4\_vfunct\_1 X0 X1 X2 X3))\wedge(m1\_subset\_1 \\ & (k4\_vfunct\_1 X0 X1 X2 X3) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 (u1\_struct\_0 \\ & X1)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 \\
& X0) \wedge ((v4\_normsp\_0 X0) \wedge ((v2\_normsp\_1 X0) \wedge (l1\_normsp\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v5\_rlvect\_1 X1) \wedge \\
& ((v6\_rlvect\_1 X1) \wedge ((v7\_rlvect\_1 X1) \wedge ((v8\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 \\
& X1) \wedge ((v4\_normsp\_0 X1) \wedge ((v2\_normsp\_1 X1) \wedge (l1\_normsp\_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0) \Rightarrow ((r1\_nfcont\_1 X0 X1 X2 X3) \Leftrightarrow ((X3 \in k1\_relset\_1 \\
& (u1\_struct\_0 X0) X2) \wedge (\forall X4.((v1\_funct\_1 X4) \wedge ((v1\_funct\_2 \\
& X4 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X4 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow (((r1\_tarski \\
& (k2\_relset\_1 (u1\_struct\_0 X0) X4) (k1\_relset\_1 (u1\_struct\_0 X0) \\
& X2)) \wedge ((v3\_normsp\_1 X4 X0) \wedge (k6\_normsp\_1 X0 X4 = X3))) \Rightarrow ((v3\_normsp\_1 \\
& (k8\_funct\_2 k5\_numbers (u1\_struct\_0 X1) (u1\_struct\_0 X0) X4 X2) \\
& X1) \wedge (k7\_partfun1 (u1\_struct\_0 X1) X2 X3 = k6\_normsp\_1 X1 (k8\_funct\_2 \\
& k5\_numbers (u1\_struct\_0 X1) (u1\_struct\_0 X0) X4 X2))))))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0 X1) \wedge \\
& (l1\_rlvect\_1 X1)) \Rightarrow (\forall X2.((v1\_funct\_1 X2) \wedge (m1\_subset\_1 \\
& X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 (u1\_struct\_0 X1)))))) \Rightarrow (\forall X3. \\
& (m1\_subset\_1 X3 k1\_numbers) \Rightarrow (\forall X4.((v1\_funct\_1 X4) \wedge (m1\_subset\_1 \\
& X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 (u1\_struct\_0 X1)))))) \Rightarrow ((X4 = k4\_vfunct\_1 \\
& X0 X1 X2 X3) \Leftrightarrow ((k1\_relset\_1 X0 X4 = k1\_relset\_1 X0 X2) \wedge (\forall X5. \\
& (m1\_subset\_1 X5 X0) \Rightarrow ((X5 \in k1\_relset\_1 X0 X4) \Rightarrow (k7\_partfun1 (u1\_struct\_0 \\
& X1) X4 X5 = k1\_rlvect\_1 X1 (k7\_partfun1 (u1\_struct\_0 X1) X2 X5) X3))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \Rightarrow ((v4\_relat\_1 X2 X0) \wedge (v5\_relat\_1 X2 X1)) \tag{15}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \Rightarrow (v1\_relat\_1 X2) \tag{16}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(m1\_subset\_1 X0 k1\_numbers) \Rightarrow (\forall X1. ((\neg v2\_struct\_0 \\ & X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge \\ & ((v4\_rlvect\_1 X1) \wedge ((v5\_rlvect\_1 X1) \wedge ((v6\_rlvect\_1 X1) \wedge ((v7\_rlvect\_1 \\ & X1) \wedge ((v8\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 X1) \wedge ((v4\_normsp\_0 X1) \wedge \\ & ((v2\_normsp\_1 X1) \wedge (l1\_normsp\_1 X1)))))))))) \Rightarrow (\forall X2. \\ & ((\neg v2\_struct\_0 X2) \wedge ((v13\_algstr\_0 X2) \wedge ((v2\_rlvect\_1 X2) \wedge (( \\ & v3\_rlvect\_1 X2) \wedge ((v4\_rlvect\_1 X2) \wedge ((v5\_rlvect\_1 X2) \wedge ((v6\_rlvect\_1 \\ & X2) \wedge ((v7\_rlvect\_1 X2) \wedge ((v8\_rlvect\_1 X2) \wedge ((v3\_normsp\_0 X2) \wedge \\ & ((v4\_normsp\_0 X2) \wedge ((v2\_normsp\_1 X2) \wedge (l1\_normsp\_1 X2)))))))))) \Rightarrow \\ & (\forall X3. ((v1\_funct\_1 X3) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & (u1\_struct\_0 X2) (u1\_struct\_0 X1)))))) \Rightarrow (\forall X4. (m1\_subset\_1 \\ & X4 (u1\_struct\_0 X2)) \Rightarrow ((r1\_nfcont\_1 X2 X1 X3 X4) \Rightarrow (r1\_nfcont\_1 X2 \\ & X1 (k4\_vfunct\_1 (u1\_struct\_0 X2) X1 X3 X0) X4)))))) \end{aligned}$$