

t16_rlvect_2 (TMSDiYUmxKi- JtPE3hSCLSDLFqKWc4BSjDrA)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_rlvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. k4_xboole_0 X0 (k3_xboole_0 X0 X1) = k4_xboole_0 X0 X1 \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. k2_xboole_0 X0 (k3_xboole_0 X0 X1) = X0 \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow \\ & (\forall X1. ((v1_finset_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (\\ & u1_struct_0 X0)))) \Rightarrow (\forall X2. ((v1_finset_1 X2) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (k2_rlvect_2 X0 (k7_subset_1 \\ & (u1_struct_0 X0) X2 X1) = k5_algstr_0 X0 (k2_rlvect_2 X0 (k4_subset_1 \\ & (u1_struct_0 X0) X2 X1)) (k2_rlvect_2 X0 X1)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (k7_subset_1 X0 X1 X2 = k4_xboole_0 X1 X2) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k1_zfmisc_1 X0))\wedge(m1_subset_1 X2 (k1_zfmisc_1 X0)))\Rightarrow(k4_subset_1 X0 X1 X2 = k2_xboole_0 X1 X2) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(v1_finset_1 X0)\Rightarrow(v1_finset_1 (k3_xboole_0 X0 X1)) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0))\Rightarrow(m1_subset_1 (k9_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \quad (9)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge(l2_algstr_0 X0))))))\Rightarrow(\forall X1.((v1_finset_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))))\Rightarrow(\forall X2.((v1_finset_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))))\Rightarrow(k2_rlvect_2 X0 (k7_subset_1 (u1_struct_0 X0) X2 X1) = k5_algstr_0 X0 (k2_rlvect_2 X0 X2) (k2_rlvect_2 X0 (k9_subset_1 (u1_struct_0 X0) X2 X1))))))$$