

t16_tdlat_1

(TMaDzbubjhzsfCA1HSkitk2zV184H6jbWyg)

October 27, 2020

Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v4_tops_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tops_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow ((r1_tarski X1 X2) \Leftrightarrow (r1_tarski \\ & (k3_subset_1 X0 X2) (k3_subset_1 X0 X1)))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (k3_subset_1 X0 (k3_subset_1 X0 X1) = X1) \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (m1_subset_1 (k3_subset_1 X0 X1) (k1_zfmisc_1 X0)) \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((l1_pre_topc X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 (k2_pre_topc X0 X1) (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0. (l1_pre_topc X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow ((v4_tops_1 X1 X0) \Leftrightarrow ((r1_tarski (k1_tops_1 \\ & X0 (k2_pre_topc X0 X1)) X1) \wedge (r1_tarski X1 (k2_pre_topc X0 (k1_tops_1 \\ & X0 X1)))))) \end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned} & \forall X0. (l1_pre_topc X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow (k1_tops_1 X0 X1 = k3_subset_1 (u1_struct_0 \\ & X0) (k2_pre_topc X0 (k3_subset_1 (u1_struct_0 X0) X1)))) \end{aligned} \tag{6}$$

Theorem 1

$$\begin{aligned} & \forall X0.((v2_pre_topc\ X0)\wedge(l1_pre_topc\ X0))\Rightarrow(\forall X1. \\ & (m1_subset_1\ X1\ (k1_zfmisc_1\ (u1_struct_0\ X0)))\Rightarrow((v4_tops_1 \\ & X1\ X0)\Rightarrow(v4_tops_1\ (k3_subset_1\ (u1_struct_0\ X0)\ X1)\ X0))) \end{aligned}$$